

#### 4. Department of Bacteriology I

- 1) Lee K, Morita-Ishihara T, Iyoda S, Ogura Y, Hayashi T, Sekizuka T, Kuroda M, and Ohnishi M. A geographically widespread outbreak investigation and development of a rapid screening method using whole genome sequences of enterohemorrhagic *Escherichia coli* O121. 2017. Front. Microbiol. 8:701
- 2) Lee K, Kusumoto M, Iwata T, Iyoda S, and Akiba M. Nationwide investigation of Shiga toxin-producing *Escherichia coli* among cattle in Japan revealed the risk factors and potentially virulent subgroups. 2017. Epidemiol. Infect. 145:1557-1566
- 3) Ogura Y, Gotoh Y, Itoh T, Sato MP, Seto K, Yoshino S, Isobe J, Etoh Y, Kurogi M, Kimata K, Maeda E, Piérard D, Kusumoto M, Akiba M, Tominaga K, Kirino Y, Kato Y, Shirahige K, Ooka T, Ishijima N, Lee KI, Iyoda S, Mainil JG, Hayashi T. Population structure of *Escherichia coli* O26:H11 with recent and repeated *stx2* acquisition in multiple lineages. Microb Genom. 2017 Nov; 3(11)
- 4) Yahiro K, Nagasawa S, Ichimura K, Takeuchi H, Ogura K, Tsutsuki H, Shimizu T, Iyoda S, Ohnishi M, Iwase H, Moss J, Noda M. Mechanism of inhibition of Shiga-toxigenic *Escherichia coli* SubAB cytotoxicity by steroids and diacylglycerol analogues. Cell Death Discov. 2018 Feb 14; 4:22
- 5) Sudo N, Soma A, Iyoda S, Ohshima T, Ohto Y, Saito K, Sekine Y. Small RNA Esr41 inversely regulates expression of LEE and flagellar genes in enterohaemorrhagic *Escherichia coli*. 2018. Microbiology. 164:821-834
- 6) Furukawa I, Ishihara T, Teranishi H, Saito S, Yatsuyanagi J, Wada E, Kumagai Y, Takahashi S, Konno T, Kashio H, Kobayashi A, Kato N, Hayashi KI, Fukushima K, Ishikawa K, Horikawa K, Oishi A, Izumiya H, Ohnishi T, Konishi Y, Kuroki T. Prevalence and Characteristics of *Salmonella* and *Campylobacter* in Retail Poultry Meat in Japan. Jpn J Infect Dis. 2017 May 24;70(3):239-247
- 7) Izumiya H, Furukawa M, Ogata K, Isobe J, Watanabe S, Sasaki M, Ichinose K, Aarakawa E, Morita M, Kurane I, Ohnishi M. A double-quadratic model for predicting *Vibrio* species in water environments of Japan. Arch Microbiol. 2017 Nov;199(9):1293-1302
- 8) Alfouzan W, Bulach D, Izumiya H, AlBassam K, Sheikh S, Alrubai'aan N, Albert MJ. Carbuncle due to *Salmonella Enteritidis*: a novel presentation. Gut Pathog. 2017 Sep 11;9:51
- 9) Sugimoto R, Suzuki H, Nei T, Tashiro A, Washio Y, Sonobe K, Nakamura Y, Wakayama N, Inai S, Izumiya H. Neck abscess due to *Salmonella Choleraesuis*: case study and literature review. JMM Case Rep. 2017 Sep 1;4(8):e005109
- 10) Yamamoto S, Ohnishi M. Glucose-specific enzyme II A of the phosphoenolpyruvate:carbohydrate phosphotransferase system modulates chitin signaling pathways in *Vibrio cholerae*. J Bacteriol. 2017 199(18)
- 11) Mitobe J, Sinha R, Mitra S, Nag D, Saito N, Shimuta K, Koizumi N, Koley H. An attenuated *Shigella* mutant lacking the RNA-binding protein Hfq provides cross protection against *Shigella* strains of broad serotype. PLoS Negl Trop Dis. 2017 Jul 20;11(7)
- 12) Ogawa M, Matsuda R, Takada N, Tomokiyo M, Yamamoto S, Shizukushihi S, Yamaji T, Yoshikawa Y, Yoshida M, Tanida I, Koike M, Murai M, Morita H, Takeyama H, Ryo A, Guan JL, Yamamoto M, Inoue JI, Yanagawa T, Fukuda M, Kawabe H, Ohnishi M. Molecular mechanisms of *Streptococcus pneumoniae*-targeted autophagy via pneumolysin, Golgi-resident Rab41, and Nedd4-1 mediated K63-linked ubiquitination. Cell Microbiol. e12846 doi: 10.1111/cmi.12846. (2018)
- 13) Hubber A, Kubori T, Coban C, Matsuzawa T, Ogawa M, Kawabata T, Yoshimori T, Nagai H. Bacterial secretion system skews the fate of Legionella-containing vacuoles towards LC3-associated phagocytosis. Sci Rep. 7:44795. doi: 10.1038/srep44795.(2017)
- 14) Minami S, Nakanishi T, Kishita M, Chang B, Eguchi Y, Tanaka T, Fujimoto N. Necrotizing fasciitis caused by *Streptococcus pneumoniae*. European Journal of Dermatology. 2017. 27:326-328
- 15) Miyazaki H, Shibuya R, Midorikawa N, Chang B, Ohnishi M, Matsumoto T. Serotype distribution and antimicrobial susceptibility of *Streptococcus pneumoniae* strains isolated in Japan after introduction of the routine immunization program. Journal of Infection and Chemotherapy. 2017. 23:234-240
- 16) Akata K, Chang B, Yatera K, Kawanami T, Naito K, Noguchi S, Kido T, Mukae H. The distribution and

- annual changes in the *Streptococcus pneumoniae* serotypes in adult Japanese patients with pneumococcal pneumonia from 2011 to 2015. Journal of Infection and Chemotherapy. 2017. 23:301-306
- 17) Yamazaki Y, Goto N, Iwanami N, Hama M, Fujiwara N, Takahashi Y, Sekiguchi M, Chang B, Yamazaki M. Outbreaks of influenza B infection and pneumococcal pneumonia at a mental health facility in Japan. Journal of Infection and Chemotherapy. 2017. 23:837-840
- 18) Nakano S, Fujisawa T, Ito Y, Chang B, Matsumura Y, Yamamoto M, Nagao M, Suga S, Ohnishi M, Ichiyama S. Spread of meropenem-resistant *Streptococcus pneumoniae* serotype 15A-ST63 clone in Japan, 2012-2014. Emerging Infectious Diseases. 2018. 24:275-283
- 19) Ikebe T, Okuno R, Sasaki M, Kanda Y, Otsuka H, Kawahara R, Ohya H, Suzuki M, Uchida K, Nihonmatsu H, Ohnishi M, The Working Group for Beta-Hemolytic Streptococci in Japan. Molecular characterization and antibiotic resistance of *Streptococcus dysgalactiae* subspecies *equisimilis* isolated from patients with streptococcal toxic shock syndrome. J Infect Chemother. 2018; 24: 117-122
- 20) Yamamura Y, Mihara Y, Nakatani K, Nishiguchi T, Ikebe T. Unexpected Ventriculitis Complication of Neonatal Meningitis Caused by *Streptococcus gallolyticus* Subsp. *pasteurianus*: a Case Report. Jpn J Infect Dis. 2018
- 21) Kanatani JI, Isobe J, Norimoto S, Kimata K, Mitsui C, Amemura-Maecawa J, Kura F, Sata T, Watahiki M. Prevalence of *Legionella* species isolated from shower water in public bath facilities in Toyama Prefecture, Japan. J Infect Chemother. 2017. 23:265-270
- 22) T. Kuroki, Y. Watanabe, H. Teranishi, S. Izumiya, J. Amemura-Maecawa, and F. Kura. *Legionella* prevalence and risk of legionellosis in Japanese households. Epidemiol Infect. 2017. 145:1398-1408
- 23) A. Ito, T. Ishida, H. Tachibana, Y. Ito, T. Takaiwa, H. Fujii, T. Hashimoto, H. Nakajima, J. Amemura-Maecawa. A case of community-acquired pneumonia due to *Legionella pneumophila* serogroup 9 wherein initial treatment with single-dose oral azithromycin appeared useful. Jpn J Infect Dis. 70:660-2, 2017
- 24) Iwabu-Itoh Y, Bazartseren B, Naranbaatar O, Yondonjamts E, Furuno K, Lee K, Sato K, Kawabata H, Takada N, Andoh M, Kajita H, Oikawa Y, Nakao M, Ohnishi M, Watarai M, Shimoda H, Maeda K, Takano A. Tick surveillance of *Borrelia miyamotoi* and phylogenetic analysis of isolates in Mongolia and Japan. Ticks and Tick-borne Diseases. 2017. 8(6): 850-857
- 25) Yamano K, Ito T, Kiyanagi K, Yamazaki H, Sugawara M, Saito T, Ohashi N, Zamoto-Niikura A, Sato K, Kawabata H. Clinical features of a case of suspected *Borrelia miyamotoi* disease in Hokkaido, Japan. American Journal of Tropical Medicine and Hygiene. 2017. 97(1): 84-87
- 26) Oda R, Kutsuna S, Sekikawa Y, Hongo I, Sato K, Ohnishi M, Kawabata H. First Case of Imported *Borrelia miyamotoi* Disease Concurrent with Lyme disease. Journal of Infection Chemotherapy. 2017. 23(5): 333-335
- 27) Lee N, Kitashoji E, Koizumi N, Lacuesta TLV, Ribo MR, Dimaano EM, Saito N, Suzuki M, Ariyoshi K, Parry CM. Building prognostic models for adverse outcomes in a prospective cohort of hospitalised patients with acute leptospirosis infection in the Philippines. Trans R Soc Trop Med Hyg. 2017. 111(12):531-539
- 28) Mutoh Y, Koizumi N, Morino E, Hayakawa K, Kato Y, Ohmagari N. Leptospirosis cases in the Tokyo Metropolitan area, Japan. Jpn J Infect Dis. 2017. 70:669-671, 2017
- 29) Tomizawa R, Sugiyama H, Sato R, Ohnishi M, Koizumi N. Male-specific pulmonary hemorrhage and cytokine gene expression in golden hamster in early-phase *Leptospira interrogans* serovar Hebdomadis infection. Microb Pathog. 2017. 111: 33-40
- 30) Kanai M, Kamiya H, Smith-Palmer A, Takahashi H, Hachisu Y, Fukusumi M, et al. Meningococcal disease outbreak related to the World Scout Jamboree in Japan, 2015. Western Pac Surveill Response J. *Western pacific Surveillance and Response*. 2016.7.3.007, 2017
- 31) Ma K, Unemo M, Jeverica S, Kirkcaldy B, Takahashi H, Ohnishi M, Grad Y. Genomic characterization of urethritis-associated *Neisseria meningitidis* shows that a wide range of *N. meningitidis* strains can cause urethritis. Journal of Clinical Microbiology 55(12):3374-3383, 2017
- 32) Sengoku T, Suzuki T, Dohmae N, Watanabe C, Honma T, Hikida Y, Yamaguchi Y, Takahashi H, Yokoyama S, Yanagisawa T. Structural mechanism of protein arginine rhamnosylation by glycosyltransferase EarP. Nature Chemical Biology 14:368-374, 2018

- 33) Kawasaki Y, Matsubara K, Takahashi H, Morita M, Ohnishi M, Hori M, Isome K, Iwata A, Nigami H, Yamamoto G, Ohkusu K. Invasive meningococcal disease due to ciprofloxacin-resistant *Neisseria meningitidis* sequence type 4821: the first case in Japan. *Journal of Infection and Chemotherapy* 24:305-308, 2018
- 34) Mori N, Hayashi T, Nakamura H, Takahashi H. Meningococcal meningitis with neurological complications and meningococcemia due to serogroup W sequence type 11 complex. *Journal of Infection and Chemotherapy* 24:398-400, 2018
- 35) Itoh, N., Katano, H., Nakayama S, Kurai, H. Gastric syphilis. *Internal Medicine*. 56:1753. 2017
- 36) Kizumi Y, Watabe T, Ota Y, Nakayama S, Asai N, Hagiwara M, Yamagishi Y, Suematsu H, Tsuzuki T, Takayasu M, Ohnishi M, Mikamo H. Cerebral Syphilitic Gumma can arise within months of reinfection: a case of histologically proven *Treponema pallidum* Strain Type 14b/f infection with Human Immunodeficiency Virus positivity. *Sex Transm. Dis.* 45:e1-e4. 2018
- 37) Igawa G, Yamagishi Y, Dorin M, Shimuta K, Suematsu H, Nakayama S, Mikamo H, Unemo M, Ohnishi M. *Neisseria cinerea* with high ceftriaxone MIC is a source of ceftriaxone and cefixime resistance-mediated *penA* sequences in *Neisseria gonorrhoeae*. *Antimicrob. Agents Chemother.* 62: e02069-17. 2018
- 38) Ito S, Hatazaki K, Shimuta K, Mizutani K, Yasuda M, Tsuchiya T, Yokoi S, Nakano M, Ohnishi M, Deguchi T. *Haemophilus influenzae* isolated from men with acute urethritis: its pathogenic roles, responses to antimicrobial chemotherapies, and antimicrobial susceptibilities. *Sexually Transmitted Diseases*. 2017; 44: 205-210
- 39) Iwata A, Shimuta K, Ohnishi M. Conjunctivitis caused by a strain of *Neisseria gonorrhoeae* that was less susceptible to ceftriaxone. *Intern Med.* 2017;56: 1443-1445
- 40) Deguchi T, Ito S, Hatazaki K, Horie K, Yasuda M, Nakane K, Mizutani K, Tsuchiya T, Yokoi S, Hanaoka N, Shimuta K, Ohnishi M, Muratani T, Nakano M. Antimicrobial susceptibility of *Haemophilus influenzae* strains isolated from the urethra of men with acute urethritis and/or epididymitis. *J Infect Chemother.* 2017; 23:804-807
- 41) Okada K, Wongboot W, Chantaroj S, Natakuathung W, Roobthaisong A, Kamjumphol W, Maruyama F, Takemura T, Nakagawa I, Ohnishi M, Hamada S. *Vibrio cholerae* embraces two major evolutionary traits as revealed by targeted gene sequencing. *Sci Rep.* *Sci Rep.* 2018 Jan 26;8(1):1631
- 42) Jönsson A, Foerster S, Golparian D, Hamasuna R, Jacobsson S, Lindberg M, Jensen JS, Ohnishi M, Unemo M. In vitro activity and time-kill curve analysis of sitafloxacin against a global panel of antimicrobial-resistant and multidrug-resistant *Neisseria gonorrhoeae* isolates. *APMIS*. 2018 Jan;126(1):29-37
- 43) Hamasuna R, Ohnishi M, Matsumoto M, Okumura R, Unemo M, Matsumoto T. In vitro activity of Sitaflloxacin and additional newer generation fluoroquinolones against ciprofloxacin-resistant *Neisseria gonorrhoeae* isolates. *Microb Drug Resist.* 2017 Jun 5. doi: 10.1089/mdr.2017.0054
- 44) Johura FT, Parveen R, Islam A, Sadique A, Rahim MN, Monira S, Khan AR, Ahsan S, Ohnishi M, Watanabe H, Chakraborty S, George CM, Cravioto A, Navarro A, Hasan B, Alam M. Occurrence of hybrid *Escherichia coli* strains carrying Shiga toxin and heat-stable toxin in livestock of Bangladesh. *Front Public Health.* 9:4:287, 2017
- 45) Kechker P, Senderovich Y, Ken-Dror S, Laviad-Shitrit S, Arakawa E, Halpern M. Otitis Media Caused by *V cholerae* O100: A Case Report and Review of the Literature. *Front Microbiol.* 2017 Aug 28;8:1619
- 46) Nagasawa R, Sato T, Senpuku H. Raffinose induces biofilm formation by *Streptococcus mutans* in low concentrations of sucrose by increasing production of extracellular DNA and fructan. *Applied Environmental Microbiology*. 2017. doi: 10.1128/AEM.00869-17
- 47) Suzuki Y, Nagasawa R, Senpuku H. Inhibiting effects of fructanase on competence-stimulating peptide-dependent quorum sensing system in *Streptococcus mutans*. *Journal of Infection and Chemotherapy*, 2017. 23(9):634-641
- 48) Senpuku H, Yonezawa H, Yoneda S, Suzuki I, Nagasawa R, Narisawa N. *SMU.940* regulates dextran-dependent aggregation and biofilm formation in *Streptococcus mutans*. *Molecular Oral Microbiology*, 2018, 33: 47-58
- 49) Iwamoto A, Nakamura T, Narisawa N, Kawasaki Y, Abe S, Torii Y, Senpuku H, Takenaga F. The Japanese fermented food natto inhibits sucrose-dependent biofilm

- formation by cariogenic streptococci. Food Science and Technology Research, 2018. 24: 129-137
- 50) Obana N, Nakao R, Nagayama K, Nakamura K, Senpuku H, Nomura N. : Immunoactive clostridial membrane vesicle production is regulated by a sporulation factor. : Infection and Immunity. 2017. 21;85(5). pii: e00096-17
- 51) Yoshimasu Y, Ikeda T, Sakai N, Yagi A, Morinaga Y, Furukawa S, Nakao R. : Rapid bactericidal action of propolis against *Porphyromonas gingivalis* : Journal of Dental Research. 2018. 97(8). 928-936.