

## 17. Infectious Diseases Surveillance Center

- 1) Acevedo R, Bai X, Borrow R, Caugant DA, Carlos J, Ceyhan M, Christensen H, Climent Y, De Wals P, Dinleyici EC, Echaniz-Aviles G, Hakawi A, Kamiya H, Karachaliou A, Lucidarme J, Meiring S, Mironov K, Sáfadi MAP, Shao Z, Smith V, Steffen R, Stenmark B, Taha MK, Trotter C, Vázquez JA, Zhu B. The Global Meningococcal Initiative meeting on prevention of meningococcal disease worldwide: epidemiology, surveillance, hypervirulent strains, antibiotic resistance and high-risk populations. *Expert Rev Vaccines.* 2018 Dec 10
- 2) Kamiya H, Tacharoenmuang R, Ide T, Negoro M, Tanaka T, Asada K, Nakamura H, Sugiura K, Umemoto M, Kuroki H, Ito H, Tanaka S, Ito M, Fukuda S, Hatazawa R, Hara Y, Guntapong R, Murata T, Taniguchi K, Suga S, Nakano T, Taniguchi K, Komoto S. Characterization of an unusual DS-1-like G8P[8] rotavirus strain from Japan in 2017: Evolution of emerging DS-1-like G8P[8] strains through reassortment. *Jpn J Infect Dis.* 2019 Feb 28
- 3) GBD 2016 Healthcare Access and Quality Collaborators. Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. *Lancet.* 2018; 391: 2236–2271.
- 4) GBD 2016 Lower Respiratory Infections Collaborators. Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory tract infections in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Infect Dis* 2018; 18: 1191–1210.
- 5) GBD 2016 Diarrhoeal Disease Collaborators. Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Infect Dis* 2018; 18: 1211–1228.
- 6) GBD 2017 Mortality Collaborators. Global, regional, and national under-five mortality, adult mortality, age-specific mortality, and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392: 1684–1735.
- 7) GBD 2017 Cause of Death Collaborators. Global, regional, and national age-sex specific mortality for 282 causes of death, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392: 1736–1788.
- 8) GBD 2017 Risk Factor Collaborators. Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392: 1923–1994.
- 9) GBD 2017 SDG Collaborator. Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; 392: 2091–2138.
- 10) GBD 2016 Meningitis Collaborators. Global, regional, and national burden of meningitis in 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Neurol* 2018; 17: 1061–1082.
- 11) GBD 2017 Influenza Collaborators. Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. *Lancet Respir Med* 2019; 7: 69–89.
- 12) GBD 2016 Dementia Collaborators. Global, regional, and national burden of Alzheimer’s disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Neurol* 2019; 18(1): 88–106.
- 13) Griffith MM, Fukusumi M, Kobayashi Y, Matsui Y, Nishiki S, Shimbashi R, Morino S, Sunagawa T, Tanaka-Taya K, Matsui T, Oishi K. Epidemiology of vaccine-preventable diseases in Japan: considerations for pre-travel advice for the 2019 Rugby World Cup and 2020 Summer Olympic and Paralympic Games. *Western Pac Surveill Response J.* 9(2):26-33. 2018.
- 14) Griffith MM, Yahata Y, Irie F, Kamiya H, Watanabe A, Kobayashi Y, Matsui T, Okabe N, Taniguchi K, Sunagawa T, Oishi K. Evaluation of an ad hoc paper-based syndromic surveillance system in Ibaraki evacuation centres following the 2011 Great East Japan

- Earthquake and Tsunami. Western Pac Surveill Response J. 2018 Dec 20;9(4):21-27
- 15) Griffith MM, Ochirpurev A, Yamagishi T, Nishiki S, Jantsansengee B, Matsui T, Oishi K. An approach to building Field Epidemiology Training Programme (FETP) trainees' capacities as educators. Western Pac Surveill Response J. 2018 Sep 30;9(3):1-3.
- 16) Moro PL, Perez-Vilar S, Lewis P, Bryant-Genevier M, Kamiya H, Cano M. Safety Surveillance of Diphtheria and Tetanus Toxoids and Acellular Pertussis (DTaP) Vaccines. Pediatrics. 2018 Jul;142(1)
- 17) Komoto S, Ide T, Negoro M, Tanaka T, Asada K, Umemoto M, Kuroki H, Ito H, Tanaka S, Ito M, Fukuda S, Suga S, Kamiya H, Nakano T, Taniguchi K. Characterization of unusual DS-1-like G3P[8] rotavirus strains in children with diarrhea in Japan. Journal of Medical Virology. May 2018, Volume90, Issue5 Pages 890-898
- 18) Jindai K, Yamagishi T, Fukusumi M, Nishiki S, Kobayashi Y, Matsui Y, Matsui T, Oishi K. Preparation for mass gathering events from the perspective of a non-host country: the experience of Japan during the 2018 PyeongChang Olympics and Paralympic Winter Games. Western Pac Surveill Response J. 2019 Feb 8;10(1):39-42
- 19) Kanai M, Arima Y, Shimada T, Hori N, Yamagishi T, Sunagawa T, Tada Y, Takahashi T, Ohnishi M, Matsui T, Oishi K. Sociodemographic characteristics and clinical description of congenital syphilis patients and their mothers in Japan: a qualitative study, 2016. Sex Health. 2018 Nov;15(5):460-467.
- 20) Kanou K, Arima Y, Kinoshita H, Ito H, Okuno H, Saito N, Sunagawa T, Kimura H, Matsui T, Oishi K. Respiratory syncytial virus surveillance system in Japan: assessment of recent trends, 2008-2015. Jpn J Infect Dis. 2018 May 24;71(3):250-255.
- 21) Takahashi T, Arima Y, Yamagishi T, Nishiki S, Kanai M, Ishikane M, Matsui T, Sunagawa T, Ohnishi M, Oishi K. Rapid Increase in Reports of Syphilis Associated With Men Who Have Sex With Women and Women Who Have Sex With Men, Japan, 2012 to 2016. Sex Transm Dis. 2018 Mar;45(3):139-143. doi:10.1097/OLQ.00000000000000768.
- 22) Nakamura Y, Sugawara T, Ohkusa Y, Taniguchi K, Miyazaki C, Momoi M, Okabe N, Severe Abnormal Behavior Incidence after Administration of Neuraminidase Inhibitors using the National Database of Medical Claims. J Infect Chemother. 2018;24(1):177-181.
- 23) Okabayashi H, Komada K, Kidokoro M, Kitamura T, Miyano S, Ito T, Phumphenghak K, Pathammvong C, Murano K, Nagai M, Mori Y, Komase K, Xeuatvongsa A, Takeda M, Hachiya M. Seroprevalence of mumps before the introduction of mumps-containing vaccine in Lao PDR: results from a nationwide cross-sectional population-based survey. BMC Research Notes 2019 2: 155
- 24) Watanabe A, Shimada T, Takahashi T, Arima Y, Kinoshita H, Saitoh T, Kanou K, Matsui T, Sunagawa T, Tanaka-Taya K, Oishi K. Correlates of laboratory-confirmed measles in Japan, 2011-2015. Vaccine. 2019 Mar 22;37(13):1756-1762
- 25) Shimbashi R, Chang B, Tanabe Y, Takeda H, Watanabe H, Kubota T, Kasahara K, Oshima K, Nishi J, Maruyama T, Kuronuma K, Fujita J, Ikuse T, Kinjo Y, Suzuki M, Kerdsin A, Shimada T, Fukusumi M, Tanaka-Taya K, Matsui T, Sunagawa T, Ohnishi M, Oishi K, and the Adult IPD Study Group. Epidemiological and clinical features of invasive pneumococcal disease caused by serotype 12F in adults, Japan. PLoS ONE 14(2): e0212418, 2019.
- 26) Kato H, Kanou K, Arima Y, Ando F, Matsuoka S, Yoshimura K, Matano T, Matsui T, Sunagawa T, Oishi K. The importance of accounting for testing and positivity in surveillance by time and place: an illustration from HIV surveillance in Japan. Epidemiol Infect. 2018 Dec;146(16):2072-2078. doi:10.1017/S0950268818002558. Epub 2018 Sep 12.
- 27) Morino S, Tanaka-Taya K, Satoh H, Arai S, Takahashi T, Sunagawa T, Oishi K. Descriptive epidemiology of varicella based on national surveillance data before and after the introduction of routine varicella vaccination with two doses in Japan, 2000-2017. Vaccine. 2018 Sep 25;36(40):5977-5982. doi: 10.1016/j.vaccine.2018.08.048. Epub 2018 Aug 27.
- 28) Arai S, Kikuchi F, Bawm S, Son NT, Lin KS, Tú VT, Aoki K, Tsuchiya K, Tanaka-Taya K, Morikawa S, Oishi K, Yanagihara R. Molecular Phylogeny of Mopatviruses

- (*Hantaviridae*) in Myanmar and Vietnam. *Viruses.* 37(14):1964-1971, 2019.
- 29) Morita A, Ishihara M, Kamei S, Okuno H, Tanaka-Taya K, Oishi K, Morishima T. Nationwide survey of influenza-associated acute encephalopathy in Japanese adults. *J Neurol Sci.* 399:101-107, 2019.
- 30) Ohdachi, S. D., Yoshizawa, K., Takada, Y., Motokawa, M., Iwasa, M. A., Arai S, Moribe, J., Uematsu, Y., Sakai, E., Tateishi, T., Oh, H.-S. and Kinoshita, G. Phylogeography of the Japanese white-toothed shrew (Eulipotyphla: Soricidae): a clear division of haplogroups between eastern and western Japan and their recent introduction to some regions. *Mammal Study.* 43(4): 245–259. 2018.
- 31) Okumura A, Mori H, Fee Chong P, Kira R, Torisu H, Yasumoto S, Shimizu H, Fujimoto T, Tanaka-Taya K; Acute Flaccid Myelitis Collaborative Study Investigators. Serial MRI findings of acute flaccid myelitis during an outbreak of enterovirus D68 infection in Japan. *Brain Dev.* 41(5):443-451, 2019.
- 32) Okuno H, Yahata Y, Tanaka-Taya K, Arai S, Satoh H, Morino S, Shimada T, Sunagawa T, Uyeki TM, Oishi K. Characteristics and Outcomes of Influenza-Associated Encephalopathy Cases Among Children and Adults in Japan, 2010-2015. *Clin Infect Dis.* 66(12):1831-1837, 2018.
- 33) Satoh H, Tanaka-Taya K, Shimizu H, Goto A, Tanaka S, Nakano T, Hotta C, Okazaki T, Itamochi M, Ito M, Okamoto-Nakagawa R, Yamashita Y, Arai S, Okuno H, Morino S, Oishi K. Polio vaccination coverage and seroprevalence of poliovirus antibodies after the introduction of inactivated poliovirus vaccines for routine immunization in Japan. *Vaccine.* 37(14):1964-1971. 2019
- 34) Somura Y, Mizukoshi F, Nagasawa K, Kimoto K, Oda M, Shinkai T, Murakami K, Sadamasu K, Katayama K, Kimura H. A food poisoning outbreak due to food handler-associated contamination with the human norovirus GII.P16-GII.2 variant strain in Italian cuisine in Tokyo during the 2016/17 winter season. *Jpn J Infect Dis.* 71(2): 172-173, 2018.
- 35) Fujimoto T, Hanaoka N, Konagaya M, Kobayashi M, Nakagawa H, Hatano H, Tsukahara-Kawamura T, Uchio E, Kaneko H. Evaluation of a silver-amplified immunochromatography kit for adenoviral conjunctivitis. *J Med Virol.* 2019 doi: 10.1002/jmv.25404. Epub 2019 Jan 28.
- 36) Hanaoka N, Ito S, Konagaya M, Nojiri N, Yasuda M, Fujimoto T, Deguchi T. Infectious human adenoviruses are shed in urine even after disappearance of urethral symptoms. *PLoS One.* 2019 Mar 6; 14(3): e0212434.
- 37) Hashimoto S, Gonzalez G, Harada S, Oosako H, Hanaoka N, Hinokuma R, Fujimoto T. Recombinant type Human mastadenovirus D85 associated with epidemic keratoconjunctivitis since 2015 in Japan. *J Med Virol.* 2018 May; 90(5):881-889.
- 38) Migita H, Ueno T, Tsukahara-Kawamura T, Saeki Y, Hanaoka N, Fujimoto T, Uchio E. Evaluation of adenovirus amplified detection of immunochromatographic test using tears including conjunctival exudate in patients with adenoviral keratoconjunctivitis. *Graefes Arch Clin Exp Ophthalmol.* 2019 Apr; 257(4):815-820.
- 39) Matsuura K, Terasaka Y, Uchio E, Saeki Y, Fujimoto T, Hanaoka N, Miyazaki D, Inoue Y. Human adenoviral type 54 keratoconjunctivitis accompanied by stellate keratitis and keratic precipitates: two cases. *BMC Ophthalmol.* 2019 Jan 7; 19(1):7.
- 40) Nakamura H, Fujisawa T, Suga S, Taniguchi K, Nagao M, Ito M, Ochiai H, Konagaya M, Hanaoka N, Fujimoto T. Species differences in circulation and inflammatory responses in children with common respiratory adenovirus infections. *J Med Virol.* 2018 May; 90(5):873-880.
- 41) Okumura A, Mori H, Fee Chong P, Kira R, Torisu H, Yasumoto S, Shimizu H, Fujimoto T, Tanaka-Taya K. Acute Flaccid Myelitis Collaborative Study Investigators. Serial MRI findings of acute flaccid myelitis during an outbreak of enterovirus D68 infection in Japan. *Brain Dev.* 2019 May;41(5):443-451.
- 42) Takahashi S, Metcalf CJ, Arima Y, Fujimoto T, Shimizu H, Rogier van Doorn H, Le Van T, Chan YF, Farrar JJ, Oishi K, Grenfell BT. Epidemic dynamics, interactions and predictability of enteroviruses associated with hand, foot and mouth disease in Japan. *J R Soc Interface.* 2018 Sep 12; 15(146).
- 43) Thongprachum A, Fujimoto T, Takanashi S, Saito H, Okitsu S, Shimizu H, Khamrin P, Maneekarn N, Hayakawa S, Ushijima H. Detection of nineteen enteric

- viruses in raw sewage in Japan. Infect Genet Evol. 2018 Sep; 63:17-23. Tsukahara-Kawamura T, Fujimoto T, Gonzalez G, Hanaoka N, Konagaya M, Arashiro T, Saeki Y, Uchio E. Epidemic Keratoconjunctivitis Cases Resulting from Adenovirus Types 8 and 54 Detected at Fukuoka University Hospital between 2014 and 2015. Jpn J Infect Dis. 2018 Jul 24; 71(4):322-324.
- 44) Tatsumi C, Iizuka S, Mita T, Wada M, Hanaoka N, Fujimoto T. First Identification of Human Adenovirus 57 (HAdV-57) in Japan. Jpn J Infect Dis. 2018 Jul 24; 71(4):259-263.
- 45) Uemura T, Migita H, Ueno T, Tsukahara-Kawamura T, Saeki Y, Fujimoto T, Uchio E. Clinical and virological analysis of epidemic keratoconjunctivitis caused by adenovirus type 54 in a regional ophthalmic clinic in Kyushu, Japan. Clin Ophthalmol. 2018 Mar 19; 12:511-517.
- 46) Murakami K, Maeda-Mitani E, Kimura H, Hondad M, Ikeda T, Sugitani W, Konno T, Kawano K, Etoh Y, Sera N, Mizukoshi F, Saitoh T, Kawamura Y, Ishioka T, Ohnishi M, Oishi K, Fujimoto S. Non-biogroup 1 or 2 strains of the emerging zoonotic pathogen *Escherichia albertii*, their proposed assignment to biogroup 3, and their commonly detected characteristics Frontiers in Microbiology 05 2019  
<https://doi.org/10.3389/fmicb.2019.01543>
- 47) Ikuse T, Habuka R, Wakamatsu Y, Nakajima T, Saitoh N, Yoshida H, Chang B, Morita M, Ohnishi M, Oishi K, Saitoh A. Local outbreak of *Streptococcus pneumoniae* serotype 12F caused by high morbidity and mortality among children and adults. Epidemiol Infect 146:1793-6,2018
- 48) Hata A, Ishioka T, Oishi K, Katayama T, Ohkubo T. Altered immunogenicity of 23-valent pneumococcal polysaccharide vaccine in elderly patients with diabetes who revealed lower responses to concomitant administration of BIKEN varicella zoster vaccine: results of post hoc analysis of a randomized double-blind trial. J Diabetes Complications 33: 243-8, 2019
- 49) Takeda H, Sato C, Chang B, Nishidzuka M, Watanabe M, Yamamoto T, Suzuki H, Oishi K, Tsuchida F. Changes in the pneumococcal vaccine serotypes in adult noninvasive pneumonia after the introduction of pneumococcal conjugate vaccine for children. J Global Infect Dis 11: