

20 . Pathogen Genomics Center

- 1) Murakami, I., Takeuchi, T., Mori-Uchino, M., Mori, S., Fujii, T., Aoki, D., Nakagawa, K., and Kanda, T. An adeno-associated virus vector efficiently and specifically transduces mouse skeletal muscle. *Mol Biotechnol.* 49(1):1-10, 2011.
- 2) Enomoto, T., Kukimoto, I., Kawano, M. A., Yamaguchi, Y., Berk, A. J., and Handa, H. In vitro reconstitution of SV40 particles that are composed of VP1/2/3 capsid proteins and nucleosomal DNA and direct efficient gene transfer. *Virology.* 420:1-9, 2011.
- 3) Kitamura-Muramatsu, Y., Kusumoto-Matsuo, R., Kondo, K., Mori, S., Saito, S., Tsukahara, Y., and Kukimoto, I. Novel multiplexed genotyping of human papillomavirus using a veracode-allele specific primer extension method. *Microbiol Immunol.* 56: 128-133, 2012.
- 4) Ode H, Yokoyama M, Kanda T, Sato H. Identification of folding preferences of cleavage junctions of HIV-1 precursor proteins for regulation of cleavability. *J. Mol. Model.*, 17:391-9, 2011.
- 5) SahBandar IN, Takahashi K, Motomura K, Djoerban Z, Firmansyah I, Kitamura K, Sato H, Pohan HT, Sato S. The Indonesian variants of CRF33_01B: Near-full length sequence analysis. *AIDS Res Hum Retroviruses*, 27:97-102, 2011.
- 6) Kobayashi T, Ode H, Yoshida T, Sato K, Gee P, Yamamoto SP, Ebina H, Strebel K, Sato H, Koyanagi Y. Identification of amino acids in the human tetherin transmembrane domain responsible for HIV-1 Vpu interaction and susceptibility. *J. Virol.* 85:932-45, 2011.
- 7) Shibata J, Sugiura W, Ode H, Iwatani Y, Sato H, Tsang H, Matsuda M, Hasegawa N, Ren F, Tanaka H. Within-host co-evolution of Gag P453L and protease D30N/N88D demonstrates virological advantage in a highly protease inhibitor-exposed HIV-1 case. *Antiviral Res.* 90:33-41, 2011.
- 8) Yoshii H, Kamiyama H, Goto K, Oishi K, Katunuma N, Tanaka Y, Hayashi H, Matsuyama T, Sato H, Yamamoto N, Kubo Y. CD4-independent human immunodeficiency virus infection involves participation of endocytosis and cathepsin B. *PLoS One.* 6(4):e19352, 2011.
- 9) Miyamoto T, Yokoyama M, Shioda T, Sato H, Nakayama E. A single amino acid of human immunodeficiency virus type 2 capsid protein affects conformation of two external loops and viral sensitivity to TRIM5 α . *PLoS One* 6(7):e22779, 2011.
- 10) Takanashi S, Chen N, Shen Q, Jung K, Zhang Z, Yokoyama M, Lindesmith L, Wang Q, Saif LJ. Characterization of the emerging GII.g/GII.12 norovirus from a gastroenteritis outbreak in US in 2010. *J. Clin. Microbiol.*, 49:3234-44, 2011.
- 11) Obuchi M, Yokoyama M, Horimoto E, Obara M, Iwai M, Sato H, Sata T, Takizawa T. Low hemagglutinin-titer strains of pandemic influenza A (H1N1) 2009 virus circulated in Toyama Prefecture, Japan, during the 2009-2011 influenza seasons. *Jpn J Infect Dis.* 64:448-50, 2011.
- 12) Nishitsuji H, Yokoyama M, Sato H, Yamauchi S, Takaku H. Identification of amino acid residues in HIV-1 reverse transcriptase that are critical for the proteolytic processing of Gag-Pol precursors. *FEBS Lett.* 585:3372-7, 2011.
- 13) Kamiyama H, Kubo Y, Sato H, Yamamoto N, Fukuda T, Ishibashi F, Iwao M. Synthesis, structure-activity relationships, and mechanism of action of anti-HIV-1 lamellarin α 20-sulfate analogues. *Bioorg Med Chem.* 19:7541-50, 2011.
- 14) Chutiwitoonchai N, Hiyoshi M, Mwimanzu P, Ueno T, Adachi A, Ode H, Sato H, Fackler OT, Okada S, Suzu S. The Identification of a Small Molecule Compound That Reduces HIV-1 Nef-Mediated Viral Infectivity Enhancement. *PLoS One.* 6(11):e27696, 2011.
- 15) Sekizuka T, Matsui M, Yamane K, Takeuchi F, Ohnishi M, Hishinuma A, Arakawa Y, Kuroda M. Complete sequencing of the *bla*_{NDM-1}-positive IncA/C plasmid from *Escherichia coli* ST38 isolate suggests a possible origin from plant pathogens. *PLoS One.* 2011;6(9):e25334. Epub 2011 Sep 23. PubMed PMID: 21966500; PubMed Central PMCID: PMC3179503.
- 16) Shahada F, Sekizuka T, Kuroda M, Kusumoto M, Ohishi D, Matsumoto A, Okazaki H, Tanaka K, Uchida I, Izumiya H, Watanabe H, Tamamura Y, Iwata T, Akiba M. Characterization of *Salmonella enterica* serovar Typhimurium isolates harboring a chromosomally encoded CMY-2 beta-lactamase gene located on a multidrug resistance genomic island. *Antimicrob Agents Chemother.* 2011 Sep;55(9):4114-21. Epub 2011 Jun 27. PubMed PMID: 21709089; PubMed Central PMCID:

PMC3165313.

- 17) Ogawa A, Furukawa S, Fujita S, Mitobe J, Kawarai T, Narisawa N, Sekizuka T, Kuroda M, Ochiai K, Ogihara H, Kosono S, Yoneda S, Watanabe H, Morinaga Y, Uematsu H, Senpuku H. Inhibition of *Streptococcus mutans* biofilm formation by *Streptococcus salivarius* FruA. *Appl Environ Microbiol.* 2011 Mar;77(5):1572-80. Epub 2011 Jan 14. PubMed PMID: 21239559; PubMed Central PMCID: PMC3067281.
- 18) Sekizuka T, Yamamoto A, Komiya T, Kenri T, Takeuchi F, Shibayama K, Takahashi M, Kuroda M, Iwaki M. *Corynebacterium ulcerans* 0102 carries the gene encoding diphtheria toxin on a prophage different from the *C. diphtheriae* NCTC 13129 prophage. *BMC Microbiol.* 2012 May 14;12(1):72. [Epub ahead of print] PubMed PMID: 22583953.
- 19) Kuroda M, Sekizuka T, Shinya F, Takeuchi F, Kanno T, Sata T, Asano S. Detection of a possible bioterrorism agent, *Francisella* sp., in a clinical specimen by use of next-generation direct DNA sequencing. *J Clin Microbiol.* 2012 May;50(5):1810-2. Epub 2012 Feb 15. PubMed PMID: 22337979; PubMed Central PMCID: PMC3347159.
- 20) Kawai T, Sekizuka T, Yahata Y, Kuroda M, Kumeda Y, Iijima Y, Kamata Y, Sugita-Konishi Y, Ohnishi T. Identification of *Kudoa septempunctata* as the causative agent of novel food poisoning outbreaks in Japan by consumption of *Paralichthys olivaceus* in raw fish. *Clin Infect Dis.* 2012 Apr;54(8):1046-52. Epub 2012 Jan 26. PubMed PMID: 22281845.