

1. Department of Virology I

- 1) Ishioka, K., Ikuta, K., Sato, Y., Kaneko, H., Sorimachi, K., Fukushima, E., Saijo, M., Suzutani, T. (2013): Herpes simplex virus type 1 virion-derived US11 inhibits type 1 interferon-induced protein kinase phosphorylation. *Microbiol. Immunol.*, 57(6), 426-436.
- 2) Katano, H., Sato, S., Sekizuka, T., Kinumaki, A., Fukumoto, H., Sato, Y., Hasegawa, H., Morikawa, S., Saijo, M., Mizutani, T., Kuroda, M. (2012): Pathogenic characterization of a cervical lymph node derived from a patient with Kawasaki disease. *International J. Clin. Exp. Pathol.*, 5(8), 814-823,
- 3) Satho, T., Nagano, Y., Eshita, Y., Hisatomi, Y., Sakata, A., Miyata, T., Kashige, N., Miyake, F., Runtuwene, L. R., Fukushi, S., Saijo, M., Kurane, I., Morikawa, S., Mizutani, T. (2013): Inhibitory effects of JNK on *Aedes albopictus* early larval development. *Urban Pest Management*, 2:7-13.
- 4) Watanabe, M., Suyama, K., Hashimoto, K., Sato, M., Ohara, S., Abe, Y., Kawasaki, Y., Yamaguchi, S., Saijo, M., Hosoya, M. (2013): Mumps virus associated acute encephalopathy: case report and review of the literature. *J. Child Neurol.*, 28 (2), 243-245.
- 5) Fukushi, S., Tani, H., Yoshikawa, T., Saijo, M., Morikawa, S. (2012): Serological assays based on recombinant viral proteins for the diagnosis of arenavirus hemorrhagic fevers. *Viruses*, 4, 2097-2114.
- 6) Sakai, K., Nagata, N., Ami, Y., Seki, F., Suzaki, Y., Iwata-Yoshikawa, N., Suzuki, T., Fukushi, S., Mizutani, T., Yoshikawa, T., Otsuki, N., Kurane, I., Komase, K., Yamaguchi, R., Hasegawa, H., Saijo, M., Takeda, M., Morikawa, S. (2013): Lethal canine distemper virus outbreak in cynomolgus monkeys in Japan in 2008. *J. Virol.*, 87(2), 1105-1114.
- 7) Taniguchi, S., Sayama, Y., Nagata, N., Ikegami, T., Miranda, M.E., Watanabe, S., Iizuka, I., Fukushi, S., Mizutani, T., Ishii, Y., Saijo, M., Akashi, H., Yoshikawa, Y., Kyuwa, S., Morikawa, S. (2012): Analysis of the humoral immune responses among cynomolgus macaque naturally infected with Reston virus during the 1996 outbreak in the Philippines. *BMC Vet. Res.*, 8, 189.
- 8) Sayama, Y., Demetria, C., Saito, M., Azul, R.R., Taniguchi, S., Fukushi, S., Yoshikawa, T., Iizuka, I., Mizutani, T., Kurane, I., Malbas, F.F. Jr, Lupisan, S., Catbagan, D.P., Animas, S.B., Morales, R.G., Lopez, E.L., Dazo, K.R., Cruz, M.S., Olveda, R., Saijo, M., Oshitani, H., Morikawa, S. (2012): A seroepidemiologic study of Reston ebolavirus in swine in the Philippines. *BMC Vet. Res.*, 8, 82.
- 9) Lihoradova, O., Kalveram, B., Indran, S.V., Lokugamage, N., Juelich, T.L., Hill, T.E., Tseng, C.T., Gong B., Fukushi S., Morikawa S., Freiberg A.N., Ikegami, T. (2012): The dominant-negative inhibition of double-stranded RNA-dependent protein kinase PKR increases the efficacy of Rift Valley fever virus MP-12 vaccine. *J. Virol.*, 86(14), 7650-7661.
- 10) Ujiie, M., Moi, M.L., Kobayashi, T., Takeshita, N., Kato, Y., Takasaki, T., Kanagawa, S. (2012): Dengue virus type-3 infection in a traveler returning from Benin to Japan. *J. Travel Med.*, 19, 4, 255-257.
- 11) Omatsu, T., Moi, M.L., Takasaki, T., Nakamura, S., Katakai, Y., Tajima, S., Ito, M., Yoshida, T., Saito, A., Akari, H., Kurane, I. (2012): Changes in hematological and serum biochemical parameters in common marmosets (*Callithrix jacchus*) after inoculation with dengue virus. *J. Med. Primatol.*, 41, 5, 289-296.
- 12) Moi, M.L., Lim, C.K., Chua, K.B., Takasaki, T.,

- Kurane, I. (2012): Dengue virus infection-enhancing activity in serum samples with neutralizing activity as determined by using Fc γ R-expressing cells. *PLoS Negl. Trop. Dis.*, 6(2), e1536.
- 13) Takasaki, T., Kotaki, A., Tajima, S., Omatsu, T., Harada, F., Lim, C.K., Moi, M.L., Ito, M., Ikeda, M., Kurane, I. (2012): Demographic features of imported dengue fever and dengue haemorrhagic fever in Japan from 2006 to 2009. *Dengue Bull.*, 35, 217-222.
- 14) Kikuchi, T., Shimizu, S., Okame, M., Koibuchi, T., Moi, M.L., Kotaki, A., Takasaki, T. (2012): Dengue-importations into Japan from East Timor-3 cases-DENV-3. ProMed, promed archive no. 20120319.1074013,
- 15) Yoshida, T., Omatsu, T., Saito, A., Katakai, Y., Iwasaki, Y., Iijima, S., Kurosawa, T., Hamano, M., Nakamura, S., Takasaki, T., Yasutomi, Y., Kurane, I., Akari, H. (2012): CD16+ natural killer cells play a limited role against primary dengue virus infection in tamarins. *Arch. Virol.*, 157:363-368.
- 16) Kuwata, R., Hoshino, K., Isawa, H., Tsuda, Y., Tajima, S., Sasaki, T., Takasaki, T., Kobayashi, M., Sawabe, K. (2012): Establishment and characterization of a cell line from the mosquito *Culex tritaeniorhynchus* (Diptera: Culicidae). *In Vitro Cell Dev Biol Anim.*, 48(6):369-376.
- 17) Wong, K.T., Ng, K.Y., Ong, K.C., Ng, W.F., Shankar, S.K., Mahadevan, A., Radotra, B., Su, I.J., Lau, G., Ling, A.E., Chan, K.P., Macorelles, P., Vallet, S., Cardoso, M.J., Desai, A., Ravi, V., Nagata, N., Shimizu, H., Takasaki, T. (2012): Enterovirus 71 encephalomyelitis and Japanese encephalitis can be distinguished by topographic distribution of inflammation and specific intraneuronal detection of viral antigen and RNA. *Neuropathol. Applied Neurobiol.*, 38, 443-453.
- 18) Hirayama, T., Mizuno, Y., Takeshita, N., Kotaki, A., Tajima, S., Omatsu, T., Sano, K., Kurane, I., Takasaki, T. (2012): Detection of dengue virus genome in urine by real-time reverse transcriptase PCR: a laboratory diagnostic method useful after disappearance of the genome in serum. *J. Clin. Microbiol.*, 50(6):2047-2052
- 19) Moi, M.L., Omatsu, T., Tajima, S., Lim, C.K., Kotaki, A., Ikeda, M., Harada, F., Ito, M., Saijo, M., Kurane, I., Takasaki, T. (2013): Detection of dengue virus nonstructural protein 1 (NS1) by using ELISA as a useful laboratory diagnostic method for dengue virus infection of international travelers. *J. Travel Med.*, 20(3):185-193.
- 20) Kitaura, K., Fujii, Y., Matsutani, T., Shirai, K., Suzuki, S., Takasaki, T., Shimada, S., Kametani, Y., Shiina, T., Takabayashi, S., Katoh, H., Ogasawara, K., Kurane, I., Suzuki, R. (2012): A new method for quantitative analysis of the T cell receptor V region repertoires in healthy common marmosets by microplate hybridization assay. *J. Immunol. Methods*, 384(1-2):81-91
- 21) Yamaguchi, Y., Nukui, Y., Kotaki, A., Sawabe, K., Saijo, M., Watanabe, H., Kurane, I., Takasaki T., Tajima, S. (2013): Characterization of a serine-to-asparagine substitution at position 123 in the Japanese encephalitis virus E protein. *J. Gen. Virol.*, 94(1):90-96.
- 22) Shimoda, H., Inthong, N., Noguchi, K., Terada, Y., Nagao, Y., Shimojima, M., Takasaki, T., Rerkamnuaychoke, W., Maeda, K. (2013): Development and application of an indirect enzyme-linked immunosorbent assay for serological survey of Japanese encephalitis virus infection in dogs. *J. Virol. Methods*, 187(1):85-89.
- 23) Sakamoto, N., Nakamura-Uchiyama, F., Kobayashi, K., Takasaki, T., Ogasawara, Y., Ando, S., Iwabuchi, S., Ohnishi, K. (2013): Severe murine typhus with shock and acute respiratory failure

- in a Japanese traveler after returning from Thailand. *J. Travel Med.*, 20(1):50-53.
- 24) Fujii, Y., Kitaura, K., Matsutani, T., Shirai, K., Suzuki, S., Takasaki, T., Kumagai, K., Kametani, Y., Shiina, T., Takabayashi, S., Katoh, H., Hamada, Y., Kurane, I., Suzuki, R. (2013): Immune-related gene expression profile in laboratory common marmosets assessed by accurate quantitative real-time PCR using selected reference genes. *PLoS One*, 8(2), e56296.
- 25) Kurane, I., Shibasaki, K., Kotaki, A., Hijioka, Y., Takasaki, T. (2013): The effect of precipitation on the transmission of Japanese encephalitis (JE) virus in nature: A complex effect on antibody-positive rate to JE virus in sentinel pigs. *Int. J. Environ. Res. Public Health*, 10, 1831-1844.
- 26) Kajihara, M., Marzi, A., Nakayama, E., Noda, T., Kuroda, M., Manzoor, R., Matsuno, K., Feldmann, H., Yoshida, R., Kawaoka, Y., Takada, A. (2012): Inhibition of Marburg virus budding by nonneutralizing antibodies to the envelope glycoprotein. *J. Virol.*, 86(24), 13467-13474.
- 27) Nidom, C.A., Nakayama, E., Nidom, R.V., Alamudi, M.Y., Daulay, S., Dharmayanti, I.N., Dachlan, Y.P., Amin, M., Igarashi, M., Miyamoto, H., Yoshida, R., Takada, A. (2012): Serological evidence of Ebola virus infection in Indonesian orangutans. *PLoS One*, 7(7), e40740.
- 28) Marzi, A., Yoshida, R., Miyamoto, H., Ishijima, M., Suzuki, Y., Higuchi, M., Matsuyama, Y., Igarashi, M., Nakayama, E., Kuroda, M., Saijo, M., Feldmann, F., Brining, D., Feldmann, H., Takada, A. (2012): Protective efficacy of neutralizing monoclonal antibodies in a nonhuman primate model of Ebola hemorrhagic fever. *PLoS One*, 7(4), e36192.
- 29) Nakamichi, K., Kishida, S., Tanaka, K., Suganuma, A., Sano, Y., Sano, H., Kanda, T., Maeda, N., Kira, J.I., Itoh, A., Kato, N., Tomimoto, H., Kurane, I., Lim, C.K., Mizusawa, H., Saijo, M. (2013): Sequential changes in the non-coding control region sequences of JC polyomaviruses from the cerebrospinal fluid of patients with progressive multifocal leukoencephalopathy. *Arch. Virol.*, 158, 639-650.
- 30) Kobayashi, Z., Akaza, M., Numasawa, Y., Ishihara, S., Tomimitsu, H., Nakamichi, K., Saijo, M., Morio, T., Sanjo, N., Shintani, S., Mizusawa, H. (2013): Failure of mefloquine therapy in progressive multifocal leukoencephalopathy: report of two Japanese patients without human immunodeficiency virus infection. *J. Neurol. Sci.*, 324, 190-194.
- 31) Nukuzuma, S., Kameoka, M., Sugiura, S., Nakamichi, K., Nukuzuma, C., Takegami, T. (2013): Suppressive effect of PARP-1 inhibitor on JC virus replication in vitro. *J. Med. Virol.*, 85, 132-137.
- 32) Nakamichi, K., Mizusawa, H., Yamada, M., Kishida, S., Miura, Y., Shimokawa, T., Takasaki, T., Lim, C.K., Kurane, I., Saijo, M. (2012): Characteristics of progressive multifocal leukoencephalopathy clarified through internet-assisted laboratory surveillance in Japan. *BMC Neurol.*, 12, 121.
- 33) Nukuzuma, S., Kameoka, M., Sugiura, S., Nakamichi, K., Nukuzuma, C., Miyoshi, I., Takegami, T. (2012): Exogenous human immunodeficiency virus-1 protein, Tat, enhances replication of JC virus efficiently in neuroblastoma cell lines. *J. Med. Virol.*, 84, 555-561.
- 34) Kakiuchi, S., Nonoyama, S., Wakamatsu, H., Kogawa, K., Wang, L., Kinoshita-Yamaguchi, H., Takayama-Ito, M., Lim, C.K., Inoue, N., Mizuguchi, M., Igarashi, T., Saijo, M. (2013): Neonatal herpes encephalitis caused by a virologically confirmed acyclovir-resistant simplex virus 1 strain. *J. Clin. Microbiol.*, 51(1), 356-359.
- 35) Kobayashi, F., Yamada, S., Tagawa, S., Kataoka, C., Naito, S., Hama, Y., Tani, H., Matsuura, Y.,

- Sugahara, K. (2012): Specific interaction of the envelope glycoproteins E1 and E2 with liver heparin sulfate involved in the tissue tropism infection by hepatitis C virus. *Glycoconjugate J.*, 29, 211-220.
- 36) Koyano, S., Inoue, N., Nagamori, T., Moriuchi, H., Azuma, H. (2013): Newborn screening of congenital cytomegalovirus infection using saliva can be influenced by breast feeding. *Arch. Dis. Child. Fetal*, 98, F182.
- 37) Inoue, N., Matsushita, M., Fukui, Y., Yamada, S., Tsuda, M., Higashi, C., Kaneko, K., Hasegawa, H., Yamaguchi, T. (2012): Identification of an antiviral compound that targets the varicella-zoster virus major capsid protein (ORF40) and inhibits the normal capsid maturation. *J. Virol.*, 86, 12198-12207.
- 38) Fukushi, H., Yamaguchi, T., Yamada, S. (2012): Complete genome sequence of equine herpesvirus type 9 (EHV-9). *J. Virol.*, 86, 13822.
- 39) Tabata, T., Pettitt, M., Fang-Hoover, J., Rivera, J., Nozawa, N., Shiboski, S., Inoue, N., Pereira, L. (2012): Cytomegalovirus impairs CTB-induced lymph-angiogenesis and vascular remodeling in an in vivo human placentation model. *Am. J. Pathol.*, 181, 1540-1559.
- 40) Sonoyama, A., Ebina, Y., Morioka, I., Tanimura, K., Morizane, M., Tairaku, S., Minematsu, T., Inoue, N., Yamada, H. (2012): Low IgG avidity and ultrasound fetal abnormality predict congenital cytomegalovirus infection. *J. Med. Virol.*, 84, 1928-1933.
- 41) Fujisawa, T., Kadosaka, T., Fujita, H., Ando, S., Takano, A., Ogasawara, Y., Kawabata, H., Seishima, M. (2012): *Rickettsia africae* Infection in a Japanese traveler with many tick bites. *Acta DermatoVenereol.*, 92(4), 443-444.
- 42) Gaowa, Ohashi, N., Aochi, M., Wuritu, D., Wu, D., Yoshikawa, Y., Kawamori, F., Honda, T., Fujita, H., Takada, N., Oikawa, Y., Kawabata, H., Ando, S., Kishimoto, T. (2013): *Rickettsia* in ticks, Japan, *Emerg. Infect. Dis.*, 19(2), 338-340.
- 43) Ohashi, N., Gaowa, Wuritu, D., Kawamori, F., Wu, D., Yoshikawa, Y., Chiya, S., Fukunaga, K., Funato, T., Shiojiri, M., Nakajima, H., Hamauzu, Y., Takano, A., Kawabata, H., Ando, S., Kishimoto, T. (2013): Human granulocytic anaplasmosis, Japan, *Emerg. Infect. Dis.*, 19(2), 289-292.
- 44) Yamauchi, T., Satô, M., Ito, T., Fujita, H., Takada, N., Kawabata, H., Ando, S., Sakata, A., Takano, A. (2013): Survey of tick fauna and tick-borne pathogenic bacteria on Rishiri Island, off north Hokkaido, Japan, *Int. J. Acarol.*, 39(1), 2-3.
- 45) Murase, Y., Konnai, S., Githaka, N., Hidano, A., Taler, K., Ito, T., Takano, A., Ando, S., Kawabata, H., Tsubota, T., Murata, S., Ohashi, K. (2013): Prevalence of Lyme borrelia in *Ixodes persulcatus* ticks from an area with a confirmed case of Lyme disease. *J. Vet. Med. Sci.*, 75(2), 215-218.
- 46) Ogawa, M., Uchiyama, T., Satoh, M., and Ando, S. (2013): Decontamination of mycoplasma-contaminated *Orientia tsutsugamushi* strains by repeated passages through cell cultures with antibiotics. *BMC Microbiol.*, 13, 32.
- 47) Motoi, Y., Asano, M., Inokuma, H., Ando, S., Kawabata, H., Takano, A., Suzuki, M. (2013): Detection of *Rickettsia tamurae* DNA in ticks and wild boar (*Sus scrofa leucomystax*) skins in Shimane Prefecture, Japan. *J. Vet. Med. Sci.*, 75(3), 263-267.
- 48) Sashida, H., Sasaoka, F., Suzuki, J., Fujihara, M., Nagai, K., Fujita, H., Kadosaka, T., Ando, S., Harasawa, R. (2013): Two clusters among *Mycoplasma haemomuris* strains, defined by the 16S-23S rRNA intergenic transcribed spacer sequences. *J. Vet. Med. Sci.*, 75(5), 643-648.

Author

- 1) Yamada, S., Taniguchi, R., Kosugi, I., Inoue, N. :
Cytomegalovirus, pp.273-312. *In:* (Eds) Singh SK
& Ruzek D. “Neuroviral Infection” Taylor &
Francis CRC Press, 2013.