

4. Department of Bacteriology I

- (1) Amemura-Maekawa J, Kikukawa K, Helbig JH, Kaneko S, Suzuki-Hashimoto A, Furuhata K, Chang B, Murai M, Ichinose M, Ohnishi M, Kura F. Working Group for *Legionella* in Japan. 2012. Distribution of monoclonal antibody subgroups and sequence-based types among *Legionella pneumophila* serogroup 1 isolates derived from cooling tower water, bathwater, and soil in Japan. *Appl Environ Microbiol*. 12:4263-70.
- (2) Awasthi SP, Asakura M, Chowdhury N, Neogi SB, Hinenoya A, Golbar HM, Yamate J, Arakawa E, Tada T, Ramamurthy T, Yamasaki S. Novel Cholix Toxin Variants, ADP-Ribosylating Toxins in *Vibrio cholerae* Non-O1/Non-O139 Strains, and Their Pathogenicity. *Infect Immun*. 2013 Feb;81(2):531-41.
- (3) Boonsilp S, Thaipadungpanit J, Amornchai P, Wuthiekanun V, Bailey MS, Holden MTG, Zhang C, Jiang X, Koizumi N, Taylor K, Galloway R, Hoffmaster AR, Craig S, Smythe LD, Hartskeerl RA, Day NP, Chantratita N, Feil EJ, Aanensen DM, Brian G Spratt BG, Peacock SJ. A single multilocus sequence typing (MLST) scheme for seven pathogenic *Leptospira* species. *PLoS Neglected Trop Dis*. 2013, 7: e1954.
- (4) Chowdhury G, Pazhani GP, Dutta D, Guin S, Dutta S, Ghosh S, Izumiya H, Asakura M, Yamasaki S, Takeda Y, Arakawa E, Watanabe H, Mukhopadhyay AK, Bhattacharya MK, Rajendran K, Nair GB, and Ramamurthy T. *Vibrio fluvialis* in patients with diarrhea, Kolkata, India. *Emerg Infect Dis*. 2012; 18: 1868-71.
- (5) Fujioka K, Arakawa E, Kita J, Aoyama Y, Manome Y, Ikeda K, Yamamoto K. Detection of *Aeromonas hydrophila* in Liquid Media by Volatile Production Similarity Patterns, Using a FF-2A Electronic Nose. *Sensors (Basel)*. 2013 Jan 7;13(1):736-45.
- (6) Fujisawa T, Kadosaka T, Fujita H, Ando S, Takano A, Ogasawara Y, Kawabata H, Seishima M. *Rickettsia africae* Infection in a Japanese Traveller with Many Tick Bites. *Acta Dermato-Venereologica*. 2012. 92: 443-444.
- (7) Fukumatsu, M., Ogawa, M., Arakawa, S., Suzuki, M., Nakayama, K., Shimizu, S., Kim, M., Mimuro, H. & Sasakawa, C. *Shigella* Targets Epithelial Tricellular Junctions and Uses a Noncanonical Clathrin-Dependent Endocytic Pathway to Spread Between Cells. *Cell Host Microbe*, 11:325-336. (2012)
- (8) Fukumatsu, M., Ogawa, M., Kim, M., Mimuro, H., Sasakawa, C. Uptake of *Shigella*-containing pseudopodia by neighboring epithelial cells at tricellular junctions via non-canonical clathrin-dependent trafficking pathway. *Virulence*, 3:515-517 (2012)
- (9) Gamage CD, Tamashiro H, Ohnishi M, Koizumi N. Epidemiology, Surveillance and Laboratory Diagnosis of Leptospirosis in the WHO South-East Asia Region. In *Zoonosis*, edited by Jacob Lorenzo-Morales (ISBN 978-953-51-0479-7), InTech, Croatia, 2012.
- (10) Gaowa, Wuritu, Wu D, Yoshikawa Y, Ohashi N, Kawamori F, Sugiyama K, Otake M, Ohashi M, Yamamoto S, Kitano T, Takada N, Kawabata H. Detection and characterization of p44/msp2 transcript variants of *Anaplasma phagocytophilum* from naturally infected ticks and wild deer, Japan. *Japanese Journal of Infectious Diseases*. 2012. 65: 79-83.
- (11) Goire N, Ohnishi M, Limnios A, Lahra M, Lambert S, Nimmo G, Nissen M, Sloots T, Whiley D. Enhanced gonococcal anti-microbial surveillance in the era of ceftriaxone resistance: a real-time PCR assay for direct detection of the *Neisseria gonorrhoeae* H041 strain. *J. Antimicrobial Chemotherapy*. 67: 902-905, 2012
- (12) Golparian D, Eernandes P, Ohnishi M, Jensen J, Unemo M. In vitro activity of the new fluoroketolide solithromycin (CEM-101) against a large collection of clinical *Neisseria gonorrhoeae* isolates and international reference strains including those with various high-level antimicrobial resistance - potential treatment option for gonorrhea? *Antimicrob Agents Chemother* 56: 2739-2742, 2012.
- (13) Hoang TH, Wertheim H, Minh NB, Duong TN, Anh DD, Phuong TT, Son TH, Izumiya H, Ohnishi M, Shibayama K, and Hien NT. Carbapenem resistant *Escherichia coli* and *Klebsiella pneumoniae* containing New Delhi Metallo-Beta-Lactamase isolated from two patients in Vietnam. *J Clin Microbiol*. 2013 Jan; 51(1): 373-4.
- (14) Iguchi A, Iyoda S, Ohnishi M; EHEC Study Group. Molecular characterization reveals three distinct clonal groups among clinical Shiga toxin-producing *Escherichia coli* strains of serogroup O103. *Journal of*

- Clinical Microbiology, 50, 2894-2900, 2012.
- (15) Kanaguchi N, Natisawa N, Ito T, Kinoshita Y, Kusumoto Y, Shinozuka O, Senpuku H. Effects of salivary protein flow and indigenous microorganisms on initial colonization of *Candida albicans* in an *in vivo* mode. BMC Oral Health. 2012, 12: 36.
- (16) Kanatani JI, Isobe J, Kimata K, Shima T, Shimizu M, Kura F, Sata T, and Watahiki M: Molecular epidemiology of *Legionella pneumophila* serogroup 1 isolates identify a prevalent sequence type, ST505, and a distinct clonal group of clinical isolates in Toyama prefecture, Japan. J Infect Chemother, in press. Published online: 27 December 2012.
- (17) Katagiri N, Shobuike T, Chang B, Kukita A, Miyamoto H. The human apoptosis inhibitor NAIP induces pyroptosis in macrophages infected with *Legionella pneumophila*. Microbes Infect 2012, 14:1123-1132.
- (18) Klionsky DJ, et al. Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 8: 445-544. (2012), 著者 1252 人中 804 番目 (Ogawa, M.)
- (19) Kobayashi, T., Ogawa, M., Sanada, T., Mimuro, H., Kim, M., Ashida, H., Akakura, R., Yoshida, M., Kawalec, M., Reichhart, J., Mizushima, T. & Sasakawa, C. A bacterial caspase inhibitor antagonizes inflammatory cell death and promotes epithelial infection. Cell Host Microbe, 13:570-583. (2013)
- (20) Koizumi N, Nakajima C, Harunari T, Tanikawa T, Tokiwa T, Uchimura E, Furuya T, Mingala CN, Villanueva MA, Ohnishi M, Suzuki Y. A new loop-mediated isothermal amplification method for rapid, simple, and sensitive detection of *Leptospira* spp. in urine. J Clin Microbiol. 2012, 50: 2072-2074.
- (21) Koizumi N, Yasutomi I. Prevalence of leptospirosis in farm animals. Jpn J Vet Res. 2012, 60: S55-S58.
- (22) Konnai S, Yamada S, Imamura S, Nishikado H, Githaka N, Ito T, Takano A, Kawabata H, Murata S, Ohashi K. Identification of TROSPA homologue in *Ixodes persulcatus*, Schulze, the specific vector for human Lyme borreliosis in Japan. Ticks and Tick-borne Diseases. 2012, 2: 75-77.
- (23) Matsumura T, Ato M, Ikebe T, Ohnishi M, Watanabe H, Kazuo Kobayashi: Interferon- γ -producing immature myeloid cells confer protection against severe invasive group A *Streptococcus* infections. Nat Commun 2012, 3:678 doi: 10.1038/ncomms1677.
- (24) Miyashita A, Iyoda S, Ishii K, Hamamoto H, Sekimizu K, Kaito C. Lipopolysaccharide O-antigen of enterohemorrhagic *Escherichia coli* O157:H7 is required for killing both insects and mammals. FEMS Microbiol Lett. 2012 333, 59-68. 2012.
- (25) Morita-Ishihara T, Miura M, Iyoda S, Izumiya H, Watanabe H, Ohnishi M, Terajima J. EspO1-2 regulates EspM2-mediated RhoA activity to stabilize formation of focal adhesions in enterohemorrhagic *Escherichia coli*-infected host cells. PLoS One, 8:e55960, 2013.
- (26) Nahar S, Sultana M, Naser MN, Nair GB, Watanabe H, Ohnishi M, Yamamoto S, Endtz H, Cravioto A, Sack RB, Hasan NA, Sadique A, Huq A, Colwell RR and Alam M. Role of shrimp chitin in the ecology of toxigenic *Vibrio cholerae* and cholera transmission. Front. Microbio. 2:260, 2012.
- (27) Nakao R, Ramstedt M, Wai SN, Uhlin BE : Enhanced biofilm formation of *Escherichia coli* LPS mutant defective in Hep biosynthesis. PLoS One 2012, 7(12):e51241.
- (28) Nakayama S, Tribuddharat C, Prombhul S, Shimuta K, Srifuengfung S, Unemo M, Ohnishi M. Molecular analyses of TEM genes and their corresponding penicillinase-producing *Neisseria gonorrhoeae* isolates in Bangkok, Thailand. Antimicrob Agents Chemother 2012, 56:916-20.
- (29) Nwafor-Okoli C, Koizumi N, Kularatne SA, Rajapakse J, Gamage CD, Muto M, Suzuki M, Lee RB, Kanda K, Obayashi Y, Tamashiro H. *Leptospira* infection at the University of Peradeniya Teaching Hospital, Sri Lanka: clinical and laboratory investigations. Southeast Asian J Trop Med Public Health. 2012, 43: 943 – 950.
- (30) Oishi T, Ishiwada N, Matsubara K, Nishi J, Chang B, Tamura K, Akeda Y, Ihara T, Nahm MH, Oishi K, the Japanese IPD Study Group. Low opsonic activity to the infecting serotype in pediatric patients with invasive pneumococcal disease. Vaccine, 2013, 31: 845–849.
- (31) Otsuka T, Chang B, Shirai T, Iwaya A, Wada A, Yamanaka N, Okazaki M, on behalf of the SADO-study Working group. Individual risk factors associated with nasopharyngeal colonization with *Streptococcus*

- pneumoniae* and *Haemophilus influenzae*: A Japanese birth cohort study. *Pediatr Infect Dis J*, 2013, 2, doi:10.1097/INF.0b013e31828701ea.
- (32) Sanada, T., Kim, M., Mimuro, H., Suzuki, M., Ogawa, M., Oyama, A., Ashida, H., Kobayashi, T., Koyama, T., Nagai, S., Shibata, Y., Gohda, J., Inoue, J., Mizushima, T. & Sasakawa, C. The *Shigella flexneri* effector OspI deamidates UBC13 to dampen the inflammatory response. *Nature*, 483:623- 626. (2012)
- (33) Sanada, T., Kim, M., Mimuro, H., Ashida, H., Ogawa, M., Mizushima, T., Sasakawa, C. A bacterial effector targets the TRAF6-NF κ B pathway to modulate the acute inflammatory response to bacterial invasion of epithelial cells. *Virulence*, 3:518-520 (2012)
- (34) Satoh K, Narita T, Matsuki-Fukushima M, Okabayashi K, Ito T, Senpuku H, Sugiya H. E2f1-deficient NOD/SCID mice have dry mouth due to a change of acinar/duct structure and the down-regulation of AQP5 in the salivary gland. *Pflugers Arch*. 2013, 465: 271-281.
- (35) Senpuku H. (2012) A quick statistically accurate diagnosis system using salivary IgA for oral disease. Chapter 2, pp27-43, Book: Current Trends in Biotechnology, Edited by Tiwari Santosh. Lambert Academic Publishing, Germany.
- (36) Takahashi H, Yanagisawa T, Kim KS, Yokoyama S, Ohnishi, M: Meningococcal PilV potentiates *Neisseria meningitidis* type IV pilus-mediated internalization into human endothelial and epithelial cells. *Infect Immun*. 2012, 80(12): 4154-4166.
- (37) Takano A, Sugimori C, Fujita H, Kadosaka T, Taylor K, Tsubota T, Konnai S, Tajima T, Sato K, Watanabe H, Ohnishi M, Kawabata H. A novel Relapsing fever *Borrelia* sp. infects the salivary glands of the molted hard-bodied tick, *Amblyomma geoemydae*.. *Ticks and Tick-borne Diseases*. 2012. 3: 259-261.
- (38) Tanaka J, Ishiwada N, Wada A, Chang B, Hishiki H, Kurosaki T, Kohno Y. Incidence of childhood pneumonia and serotype and sequence-type distribution in *Streptococcus pneumoniae* isolates in Japan. *Epidemiol Infect* 2012, 140:1111-1121.
- (39) Tokiwa T, Harunari T, Tanikawa T, Komatsu N, Koizumi N, Tung KC, Suzuki J, Kadosaka T, Takada N, Kumagai T, Akao N, Ohta N. Phylogenetic relationships of rat lungworm, *Angiostrongylus cantonensis*, isolated from different geographical regions revealed widespread multiple lineages. *Parasitol Int*, 2012, 61: 431-436.
- (40) Ueno M, Ishii Y, Tateda K, Anahara Y, Ebata A, Iida M, Inamura S, Takahata K, Suzuki Y, Chang B, Wada A, Sugita M, Tanaka T, Nishiwaki Y. Prevalence and risk factors of nasopharyngeal carriage of *Streptococcus pneumoniae* in healthy children in Japan. *Jpn J Infect Dis* 2013, 66:22-25.
- (41) Unemo M, Golparian D, Nicholas R, Ohnishi M, Gallay A, Sednaoui P. High-level cefixime- and ceftriaxone-resistant *N. gonorrhoeae* in Europe (France): novel penA mosaic allele in a successful international clone causes treatment failure. *Antimicrob Agents Chemother* 56: 1273-1280. 2012
- (42) Unemo M, Golparian F, Limnios A, Whiley D, Ohnishi M, Lahra M, Tapsall J. In vitro activity of ertapenem vs. ceftriaxone against *Neisseria gonorrhoeae* isolates with highly diverse ceftriaxone MIC values and effects of ceftriaxone resistance determinants-ertapenem for treatment of gonorrhea? *Antimicrob Agents Chemother* 56: 3603-3609, 2012.
- (43) Yamauchi T, Takano A, Maruyama M, Kawabata H. Human infestation by *Amblyomma testudinarium* (Acari: Ixodidae) tick in Malay Peninsula, Malaysia. *Journal of the Acarological Society of Japan*. 2012. 21(2): 143-148.
- (44) Zhang X, Senpuku H. Dynamic changes in the initial colonization of *Actinomyces naeslundii* and *Streptococcus gordonii* using a new animal model. *Japanese Journal Infectious Diseases*, *Jpn J Infect Dis*. 2013, 66: 11-16..