

## 19. Pathogen Genomics Center

- 1) [Azuma Y](#), [Kusumoto-Matsuo R](#), [Takeuchi F](#), Uenoyama A, Kondo K, Tsunoda H, Nagasaka K, Kawana K, Morisada T, Iwata T, Aoki D, [Kukimoto I](#). Human papillomavirus genotype distribution in cervical intraepithelial neoplasia grade 2/3 and invasive cervical cancer in Japanese women. *Jpn. J. Clin. Oncol.* 44: 910-917 (2014)
- 2) Ohba K, Ichiyama K, Yajima M, Gemma N, Nikaido M, Wu Q, Chong P, [Mori S](#), Yamamoto R, Wong JE, Yamamoto N. In vivo and in vitro studies suggest a possible involvement of HPV infection in the early stage of breast carcinogenesis via APOBEC3B induction. *PLoS ONE.* 9: e97787 (2014)
- 3) Taguchi A, Nagasaka K, Kawana K, Hashimoto K, [Kusumoto-Matsuo R](#), Plessy C, Thomas M, Nakamura H, Bonetti A, Oda K, [Kukimoto I](#), Carninci P, Banks L, Osuga Y, Fujii T. Characterization of novel transcripts of human papillomavirus type 16 using CAGE technology. *J. Virol.* 89: 2448-2452 (2015)
- 4) Monjurul AM, Wakae K, Wang Z, Kitamura K, Liua G, Koura M, Imayasu M, Sakamoto N, Hanaoka K, Nakamura M, Kyo S, Kondo S, Fujiwara H, Yoshizaki T, [Mori S](#), [Kukimoto I](#), Muramatsu M. APOBEC3A and 3C decreases human papillomavirus 16 pseudovirion infectivity. *Biochem. Biophys. Res. Commun.* 457: 295-299 (2015)
- 5) [Mori S](#), [Takeuchi T](#), [Ishii Y](#), [Kukimoto I](#). Identification of APOBEC3B promoter elements responsible for activation by human papillomavirus type 16 E6. *Biochem. Biophys. Res. Commun.* 460: 555-60 (2015)
- 6) Nomaguchi M, Miyake A, Doi N, Fujiwara S, Miyazaki Y, Tsunetsugu-Yokota Y, [Yokoyama M](#), [Sato H](#), Masuda T, Adachi A. Natural single-nucleotide polymorphisms in the 3' region of HIV-1 pol gene modulate viral replication ability. *J. Virol.*, 88(8):4145-4160, 2014.
- 7) Nomaguchi M, Nakayama E.E, [Yokoyama M](#), Doi N, Igarashi T, Shioda T, [Sato H](#), Adachi A. Distinct combinations of amino acid substitutions in N-terminal domain of Gag-capsid afford HIV-1 resistance to rhesus TRIM5 $\alpha$ . *Microbes Infect.*, 16:936-944, 2014.
- 8) Takashita E, Kiso M, Fujisaki S, [Yokoyama M](#), Nakamura K, Shirakura M, [Sato H](#), Odagiri T, Kawaoka Y, Tashiro M, The Influenza Virus Surveillance Group of Japan. Characterization of a large cluster of influenza A(H1N1)pdm09 virus cross-resistant to oseltamivir and peramivir during the 2013/2014 influenza season in Japan. *Antimicrob. Agents. Chemother.*, 59(5): 2607-2617, 2015.
- 9) [Yamashita A](#), [Sekizuka T](#), [Kuroda M](#). GcoGSA-BA: a global core genome SNP analysis for *Bacillus anthracis*. *Health Secur.* 2015 Jan-Feb;13(1):64-8. Epub 2015 Jan 28. PubMed PMID: 25812430; PubMed Central PMCID: PMC4389694.
- 10) Lee K, Kusumoto M, [Sekizuka T](#), [Kuroda M](#), Uchida I, Iwata T, Okamoto S, Yabe K, Inaoka T, Akiba M. Extensive amplification of GI-VII-6, a multidrug resistance genomic island of *Salmonella enterica* serovar Typhimurium, increases resistance to extended-spectrum cephalosporins. *Front Microbiol.* 2015 Feb 10;6:78. doi: 10.3389/fmicb.2015.00078. eCollection 2015. PubMed PMID: 25713569; PubMed Central PMCID: PMC4322709.
- 11) Shibata S, [Sekizuka T](#), Kodaira A, [Kuroda M](#), Haga K, Doan YH, Takai-Todaka R, Katayama K, Wakita T, Oka T, Hirata H. Complete Genome Sequence of a Novel GV.2 Sapovirus Strain, NGY-1, Detected from a Suspected Foodborne Gastroenteritis Outbreak. *Genome Announc.* 2015 Feb 12;3(1). pii: e01553-14. doi: 10.1128/genomeA.01553-14. PubMed PMID: 25676762; PubMed Central PMCID: PMC4333662.
- 12) Sugita-Konishi Y, Fukuda Y, Mori K, Mekata T, Namba T, [Kuroda M](#), Yamazaki A, Ohnishi T. New validated rapid screening methods for identifying *Kudoa septempunctata* in olive flounder (*Paralichthys olivaceus*). *Jpn J Infect Dis.* 2015;68(2):145-7. doi: 10.7883/yoken.JJID.2014.133. Epub 2014 Dec 24. PubMed PMID: 25672358.
- 13) [Kuroda M](#), Niwa S, [Sekizuka T](#), Tsukagoshi H, [Yokoyama M](#), Ryo A, [Sato H](#), Kiyota N, Noda M, Kozawa K, Shirabe K, Kusaka T, Shimojo N, Hasegawa S, Sugai K, Obuchi M, Tashiro M, Oishi K, Ishii H, Kimura H. Molecular evolution of the VP1, VP2, and VP3 genes in human rhinovirus species C.

- Sci Rep. 2015 Feb 2;5:8185. doi: 10.1038/srep08185. PubMed PMID: 25640899; PubMed Central PMCID: PMC4313092.
- 14) Ching PK, de los Reyes VC, Sucaldito MN, Tayag E, Columna-Vingno AB, Malbas FF Jr, Bolo GC Jr, Sejvar JJ, Eagles D, Playford G, Dueger E, Kaku Y, Morikawa S, Kuroda M, Marsh GA, McCullough S, Foxwell AR. Outbreak of henipavirus infection, Philippines, 2014. *Emerg Infect Dis.* 2015 Feb;21(2):328-31. doi: 10.3201/eid2102.141433. PubMed PMID: 25626011; PubMed Central PMCID: PMC4313660.
- 15) Hirano E, Kobayashi M, Tsukagoshi H, Yoshida LM, Kuroda M, Noda M, Ishioka T, Kozawa K, Ishii H, Yoshida A, Oishi K, Ryo A, Kimura H. Molecular evolution of human respiratory syncytial virus attachment glycoprotein (G) gene of new genotype ON1 and ancestor NA1. *Infect Genet Evol.* 2014 Dec;28:183-91. doi: 10.1016/j.meegid.2014.09.030. Epub 2014 Oct 2. PubMed PMID: 25283803.
- 16) Doi I, Nagata N, Tsukagoshi H, Komori H, Motoya T, Watanabe M, Keta T, Kawakami M, Tsukano T, Honda M, Ishioka T, Takeda M, Ryo A, Kuroda M, Oishi K, Kimura H. An outbreak of acute respiratory infections due to human respiratory syncytial virus in a nursing home for the elderly in Ibaraki, Japan, 2014. *Jpn J Infect Dis.* 2014;67(4):326-8. PubMed PMID: 25056086.
- 17) Tsuyoshi Sekizuka, Masanori Kai, Kazue Nakanaga, Noboru Nakata, Yuko Kazumi, Shinji Maeda, Masahiko Makino, Yoshihiko Hoshino and Makoto Kuroda. Complete genome sequence and comparative genomic analysis of *Mycobacterium massiliense* JCM 15300 in the *Mycobacterium abscessus* group reveal a conserved genomic island MmGI-1 related to putative lipid metabolism. *PLoS One.* 9(12):e114848, 2014
- 18) Akifumi Yamashita, Tsuyoshi Sekizuka and Makoto Kuroda. Characterization of Antimicrobial Resistance Dissemination across Plasmid Communities Classified by Network Analysis. *Pathogens.* 3(2):356-76, 2014
- 19) Yoshitaka Shirasago, Tsuyoshi Sekizuka, Kyoko Saito, Testuro Suzuki, Takaji Wakita, Kentaro Hanada, Makoto Kuroda, Ryo Abe and Masayoshi Fukasawa. Isolation and Characterization of A Huh.7.5.1-Derived Cell Clone Highly Permissive to Hepatitis C Virus. *Jpn J Infect Dis.* (in press) 2014
- 20) Wataru Kitagawa, Miyako Hata, Tsuyoshi Sekizuka, Makoto Kuroda and Jun Ishikawa. Draft Genome Sequence of *Rhodococcus erythropolis* JCM 6824, an Aurachin RE Antibiotic Producer. *Genome Announc.* 9;2(5), 2014
- 21) Naoki Osada, Arihiro Kohara, Toshiyuki Yamaji, Noriko Hirayama, Fumio Kasai, Tsuyoshi Sekizuka, Makoto Kuroda and Kentaro Hanada. The genome landscape of the african green monkey kidney-derived vero cell line. *DNA Res.* 21(6):673-83, 2014
- 22) Yuko Matsumoto, Hidemasa Izumiya, Tsuyoshi Sekizuka, Makoto Kuroda and Makoto Ohnishi. Characterization of *bla*<sub>TEM-52</sub>-carrying plasmids of extended-spectrum- $\beta$ -lactamase-producing *Salmonella enterica* isolates from chicken meat with a common supplier in Japan. *Antimicrob Agents Chemother.* 58(12):7545-7, 2014
- 23) Shinya Tsuzuki, Hitomi Fukumoto, Sohtaro Mine, Noriko Sato, Makoto Mochizuki, Hideki Hasegawa, Tsuyoshi Sekizuka, Makoto Kuroda, Takeji Matsushita and Harutaka Katano. Detection of trichodysplasia spinulosa-associated polyomavirus in a fatal case of myocarditis in a seven-month-old girl. *Int J Clin Exp Pathol.* 7(8):5308-12, 2014
- 24) Tsuyoshi Kenri, Tsuyoshi Sekizuka, Akihiko Yamamoto, Masaaki Iwaki, Takako Komiya, Takashi Hatakeyama, Hiroshi Nakajima, Motohide Takahashi, Makoto Kuroda and Keigo Shibayama. Genetic characterization and comparison of *Clostridium botulinum* isolates from botulism cases in Japan between 2006 and 2011. *Appl Environ Microbiol.* 80(22):6954-64, 2014
- 25) Tsuyoshi Sekizuka, Ken-ichi Lee, Makoto Kuroda, Masahiro Kusumoto, Taketoshi Iwata, Ikuo Uchida, Kiyoshi Tanaka, Yukino Tamamura and Masato Akiba.

Whole-Genome Sequence of CMY-2  
 $\beta$ -Lactamase-Producing *Salmonella enterica* Serovar  
Typhimurium Strain L-3553.  
Genome Announc. 2(4), 2014

- 26) Fuminori Mizukoshi, Makoto Kuroda, Hiroyuki  
Tsukagoshi, Tsuyoshi Sekizuka, Keiji Funatogawa,  
Yukio Morita, Masahiro Noda, Kazuhiko Katayama  
and Hirokazu Kimura.  
A food-borne outbreak of gastroenteritis due to  
genotype G1P[8] rotavirus among adolescents in Japan.  
Microbiol Immunol. 58(9):536-9, 2014
- 27) Kasumi Ishida, Tsuyoshi Sekizuka, Kyoko Hayashida,  
Junji Matsuo, Fumihiko Takeuchi, Makoto Kuroda,  
Shinji Nakamura, Tomohiro Yamazaki, Mitsutaka  
Yoshida, Kaori Takahashi, Hiroki Nagai, Chihiro  
Sugimoto and Hiroyuki Yamaguchi.  
Amoebal endosymbiont *Neochlamydia* genome  
sequence illuminates the bacterial role in the defense of  
the host amoebae against *Legionella pneumophila*.  
PLoS One. 9(4):e95166, 2014
- 28) Kouji Sakai, Yasushi Ami, Maino Tahara, Toru Kubota,  
Masaki Anraku, Masako Abe, Noriko Nakajima,  
Tsuyoshi Sekizuka, Kazuya Shirato, Yuriko Suzaki,  
Akira Ainai, Yuichiro Nakatsu, Kazuhiko Kanou,  
Kazuya Nakamura, Tadaki Suzuki, Katsuhiko Komase,  
Eri Nobusawa, Katsumi Maenaka, Makoto Kuroda,  
Hideki Hasegawa, Yoshihiro Kawaoka, Masato Tashiro  
and Makoto Takeda.  
The host protease TMPRSS2 plays a major role in in  
vivo replication of emerging H7N9 and seasonal  
influenza viruses.  
J Virol. 88(10):5608-16, 2014