

1. Department of Virology I

- 1) Tajima S, Nakayama E, Kotaki A, Moi ML, Ikeda M, Yagasaki K, Saito Y, Shibasaki K, Saijo M, Takasaki T. Whole genome sequencing-based molecular epidemiologic analysis of autochthonous dengue virus type 1 strains circulating in Japan in 2014. *Jpn J Infect Dis* 70:38-44, 2017
- 2) Kato F, Ishida Y, Oishi S, Fujii N, Watanabe S, Vasudevan SG, Tajima S, Takasaki T, Suzuki Y, Ichiyama K, Yamamoto N, Yoshii K, Takashima I, Kobayashi T, Miura T, Igarashi T., Hishiki T. Novel antiviral activity of bromocriptine against dengue virus replication. *Antiviral Res* 12:141-147, 2016
- 3) Nakayama E, Kotaki A, Tajima S, Kawada M, Miura K, Gemma A, Adachi T, Sekizuka T, Kata K, Ymashit, A, Moi ML, Ikeda M, Yagasaki K, Shibasaki K, Saijo M, Kuroda M, Takasaki T. Two different dengue virus strains in the Japanese epidemics of 2014. *Virus Genes* 52:722-726, 2016
- 4) Imai K, Nakayama E, Maeda T, Mikita K, Kobayashi Y, Mitarai A, Honma Y, Miyake S, Kaku K, Miyahira Y, Kawana A. Chikungunya fever in Japan imported from the Caribbean Islands. *Jpn J Infect Dis* 69(2):151-153, 2016
- 5) Saga R, Fujimoto A, Watanabe N, Matsuda M, Hasegawa M, Watashi K, Aizaki H, Nakamura N, Tajima S, Takasaki T, Konishi E, Kato T, Kohara M, Takeyama H, Wakita T, Suzuki R. Bivalent vaccine platform based on Japanese encephalitis virus (JEV) elicits neutralizing antibodies against JEV and hepatitis C virus. *Sci Rep* 6:28688, 2016
- 6) Tsuboi M, Kutsuna S, Kato Y, Nakayama E, Shibasaki K, Tajima S, Takasaki T, Katanami Y, Yamamoto K, Takeshita N, Hayakawa K, Kanagawa S, Ohmagari N. Autochthonous Chikungunya fever in traveler returning to Japan from Cuba. *Emerg Infect Dis* 22:1683-1685, 2016
- 7) Takaya S, Kutsuna S, Nakayama E, Taniguchi S, Tajima S, Katanami Y, Yamamoto K, Takeshita N, Hayakawa K, Kato Y, Kanagawa S, Ohmagari N. Chikungunya fever in traveler from Angola to Japan, 2016. *Emerg Infect Dis* 23:156-158, 2017
- 8) Taira M, Ogawa T, Nishijima H, Yamamoto K, Hotta C, Akita M, Tajima S, Saijo M. The first isolation of Zika virus from a Japanese patient who returned to Japan from Fiji in 2016. *Jpn J Infect Dis* 70(5):586-589, 2017
- 9) Kutsuna S, Kato Y, Nakayama E, Taniguchi S, Takasaki T, Yamamoto K, Takeshita N, Hayakawa K, Kanagawa S, Ohmagari N. A case of consecutive infection with Zika virus and Chikungunya virus in Bora Bora, French Polynesia. *J Infect Chemother* 23(2):114-116, 2017
- 10) Satoh M, Akashi S, Ogawa M, Wakeyama T, Ogawa H, Fukuma A, Taniguchi S, Tani H, Kurosu T, Fukushi S, Shimojima M, Ando S, Saijo M. Retrospective survey of severe fever with thrombocytopenia syndrome in patients with suspected rickettsiosis in Japan. *J Infect Chemother* 23(1):45-50, 2017
- 11) Kaneyuki S, Yoshikawa T, Tani H, Fukushi S, Taniguchi S, Fukuma A, Shimojima M, Kurosu T, Morikawa S, Saijo M. Ulcerative lesions with hemorrhage in a patient with severe fever with thrombocytopenia syndrome observed via upper gastrointestinal endoscopy. *Jpn J Infect Dis* 69(6):525-527, 2016
- 12) Arai S, Taniguchi S, Aoki K, Yoshikawa Y, Kyuwa S, Tanaka-Taya K, Masangkay JS, Omatsu T, Puentespina R Jr, Watanabe S, Alviola P, Alvarez J, Eres E, Cosico E, Quibod MN, Morikawa S, Yanagihara R, Oishi K.

- Molecular phylogeny of a genetically divergent hantavirus harbored by the Geoffroy's rousette (*Rousettus amplexicaudatus*), a frugivorous bat species in the Philippines. *Infect Genet Evol* 45:26-32, 2016
- 13) Hatta Y, Omatsu T, Tsuchiaka S, Katayama Y, Taniguchi S, Masangkay JS, Puentespina R Jr, Eres E, Cosico E, Une Y, Yoshikawa Y, Maeda K, Kyuwa S, Mizutani T. Detection of *Campylobacter jejuni* in rectal swab samples from *Rousettus amplexicaudatus* in the Philippines. *J Vet Med Sci* 78(8):1347-1350, 2016
- 14) Tani H, Shimojima M, Fukushi S, Yoshikawa T, Fukuma A, Taniguchi S, Morikawa S, Saijo M. Characterization of glycoprotein-mediated entry of severe fever with thrombocytopenia syndrome virus. *J Virol* 90(11):5292-5301, 2016
- 15) Singh H, Shimojima M, Fukushi S, Fukuma A, Tani H, Yoshikawa T, Taniguchi S, Yang M, Sugamata M, Morikawa S, Saijo M. Serologic assays for the detection and strain identification of Pteropine orthoreovirus. *Emerg Microbes Infect* 5:e44, 2016
- 16) Murakoshi F, Recuenco FC, Omatsu T, Sano K, Taniguchi S, Masangkay JS, Alviola P, Eres E, Cosico E, Alvarez J, Une Y, Kyuwa S, Sugiura Y, Kato K. Detection and molecular characterization of *Cryptosporidium* and *Eimeria* species in Philippine bats. *Parasitol Res* 115(5):1863-1869, 2016
- 17) Fukuma A, Fukushi S, Yoshikawa T, Tani H, Taniguchi S, Kurosu T, Egawa K, Suda Y, Singh H, Nomachi T, Gokuden M, Ando K, Kida K, Kan M, Kato N, Yoshikawa A, Kitamoto H, Sato Y, Suzuki T, Hasegawa H, Morikawa S, Shimojima M, Saijo M. Severe fever with thrombocytopenia syndrome virus antigen detection using monoclonal antibodies to the nucleocapsid protein. *PLoS Negl Trop Dis* 10(4):e0004595, 2016
- 18) Moi ML, Kobayashi D, Isawa H, Sasaki T, Saijo M, Kurane I, Sawabe K, Takasaki T. Dengue virus isolation in mosquito *Aedes albopictus* captured during an outbreak in Tokyo, 2014, by a method relying on antibody-dependent enhancement mechanism using FcγR-expressing BHK cells. *Vector Borne Zoonotic Dis* 16(12):810-812, 2016
- 19) Yamanaka A, Moi ML, Takasaki T, Kurane I, Konishi E. Neutralizing and enhancing antibody responses to five genotypes of dengue virus type 1 (DENV-1) in DENV-1 patients. *J Gen Virol* 98(2):166-172, 2017
- 20) Tezuka K, Kuramitsu M, Okuma K, Nojima K, Araki K, Shinohara N, Matsumoto C, Satake M, Takasaki T, Saijo M, Kurane I, Hamaguchi I. Development of a novel dengue virus serotype-specific multiplex real-time reverse transcription-polymerase chain reaction assay for blood screening. *Transfusion* 56(12):3094-3100, 2016
- 21) Itoh K, Iwamoto K, Satoh Y, Fujita T, Takahashi K, Katano H, Hasegawa H, Takasaki T, Tando S, Fushiki S. Knowledge obtained from an elderly case of Japanese encephalitis. *Intern Med* 55(17):2487-2490, 2016
- 22) Fukusumi M, Arashiro T, Arima Y, Matsui T, Shimada T, Kinoshita H, Arashiro A, Takasaki T, Sunagawa T, Oishi K. Dengue sentinel traveler surveillance: monthly and yearly notification trends among Japanese travelers, 2006-2014. *PLoS Negl Trop Dis* 19:10(8):e0004924, 2016
- 23) Nakajima S, Watashi K, Ohashi H, Kamisuki S, Izaguirre-Carbonell J, Kwon AT, Suzuki H, Kataoka M, Tsukuda S, Okada M, Moi ML, Takeuchi T, Arita M, Suzuki R, Aizaki H, Kato T, Suzuki T, Hasegawa H, Takasaki T, Sugawara F, Wakita T. Fungus-derived

- neoechinulin B as a novel antagonist of liver X receptor, identified by chemical genetics using a hepatitis C virus cell culture system. *J Virol* 90(20):9058-9074, 2016
- 24)Moi ML, Takasaki T, Kurane I. Human antibody response to dengue virus: implications for dengue vaccine design. *Trop Med Health* 44:1, 2016
- 25)Yamashita A, Sakamoto T, Sekizuka T, Kato K, Takasaki T, Kuroda M. DGV: Dengue genographic viewer. *Front Microbiol* 7:875, 2016
- 26)Azami NA, Moi ML, Takasaki T. Neutralization assay for chikungunya virus infection: plaque reduction neutralization test. *Methods Mol Biol* 1426:273-82, 2016
- 27)Moi ML, Takasaki T. Chikungunya virus growth and fluorescent labeling: detection of chikungunya virus by immunofluorescence assay. *Methods Mol Biol* 1426:143-152, 2016
- 28)Lim CK. (2016) Virus isolation and preparation of sucrose-banded Chikungunya virus samples for transmission electron microscopy, pp. 153-162. In J.H. Chu and S.K. Ang (ed), *Chikungunya Virus: Methods and Protocols*. Springer Science + Business Media, New York, USA
- 29)Takajo I, Sekizuka T, Fujita H, Kawano A, Kawaguchi T, Matsuda M, Kubo K, Miyauchi S, Umekita K, Nagatomo Y, Kuroda M, Takasaki T, Okayama A, Ando S. Possible case of novel spotted fever group rickettsiosis in traveler returning to Japan from India. *Emerg Infect Dis* 22(6):1079-1082, 2016
- 30)Kakiuchi S, Tsuji M, Nishimura H, Yoshikawa T, Wang L, Takayama-Ito M, Kinoshita H, Lim CK, Fujii H, Yamada S, Harada S, Oka A, Mizuguchi M, Taniguchi S, Saijo M. The association of the emergence of acyclovir-resistant herpes simplex virus 1 with the prognosis in hematopoietic stem cell transplantation patients. *J Infect Dis* 215(6):865-873, 2017
- 31)Takayama-Ito M, Lim CK, Nakamichi K, Kakiuchi S, Horiya M, Posadas-Herrera G, Kurane I, Saijo M. Reduction of animal suffering in rabies vaccine potency testing by introduction of humane endpoints. *Biologicals* 46:38-45, 2017
- 32)Saito Y, Moi ML, Takeshita N, Lim CK, Shiba H, Hosono K, Saijo M, Kurane I, Takasaki T. Japanese encephalitis vaccine-facilitated dengue 1 virus infection-enhancement antibody in adults. *BMC Infect Dis* 16(1):578, 2016
- 33)Nukuzuma S, Nakamichi K, Kameoka M, Sugiura S, Nukuzuma C, Tasaki T, Takegami T. Suppressive effect of topoisomerase inhibitors on JC polyomavirus propagation in human neuroblastoma cells. *Microbiol Immunol* 60(4):253-260, 2016
- 34)Aotsuka Y, Uzawa A, Nishimura K, Kojima K, Yamaguchi M, Makino T, Nakamichi K, Saijo M, Kuwabara S. Progressive multifocal leukoencephalopathy localized in the cerebellum and brainstem associated with idiopathic CD4⁺ T lymphocytopenia. *Intern Med* 55(12):1645-1647, 2016
- 35)Takahashi K, Sekizuka T, Fukumoto H, Nakamichi K, Suzuki T, Sato Y, Hasegawa H, Kuroda M, Katano H. Deep-sequence identification and role in virus replication of a JC virus quasispecies in patients with progressive multifocal leukoencephalopathy. *J Virol* 91(1) pii: e01335-16, 2016
- 36)Yokokawa K, Hisahara S, Matsuura Y, Ikeda K, Tsuda E, Saitoh M, Nakamichi K, Saijo M, Kamihara Y, Sato T, Kawamata J, Shimohama S. Progressive multifocal leukoencephalopathy after autologous peripheral blood stem cell transplantation in a patient with multiple

- myeloma treated with combination therapy. *J Neurol Sci* 368:304-306, 2016
- 37) Yamada S, Katano H, Sato Y, Fukuchi S, Hashimoto K, Inoue N. An Ex vivo culture model for placental cytomegalovirus infection using slices of Guinea pig placental tissue. *Placenta* 37:85-88, 2016
- 38) Ito K, Taniguchi H, Ohtaki N, Ando S, Kawabata H. A First Case of Tick Bite by *Amblyomma coelebs* in Japan. *J Dermatol* 2017 Mar 22. doi: 10.1111/1346-8138.13789.
- 39) Aktera A, Ooka T, Gotoh Y, Yamamoto S, Fujita H, Terasoma F, Kida K, Taira M, Nakadouzono F, Gokuden M, Hirano M, Miyashiro M, Shimazu Y, Tabara K, Toyoda A, Yoshimura D, Itoh T, Kitano T, Katsura K, Mondel SI, Ogura Y, Ando S, Hayashi T. Extremely low genomic diversity of *Rickettsia japonica* implies its recent clonal expansion and the long generation time of tick-associated rickettsiae in nature. *Genome Biol Evol* 2017 Jan 4. pii: evw304. doi: 10.1093/gbe/evw304.
- 40) Ogawa M, Satoh M, Saijo M, Ando S. Evaluation of a broad-ranging and convenient enzyme-linked immunosorbent assay using the lysate of infected cells with five serotypes of *Orientia tsutsugamushi*, a causative agent of scrub typhus. *BMC Microbiol* 17(1):7, 2017
- 41) Shimizu K, Hamaguchi S, Ngo CC, Li TC, Ando S, Yoshimatsu K, Yasuda SP, Koma T, Isozumi R, Tsuda Y, Fujita H, Pham TT, Yoshida LY, Ariyoshi K, Arikawa J. Serological evidence of infection with rodent-borne hepatitis E virus HEV-C1 or antigenically related virus in humans. *J Vet Med Sci* 78(11):1677-1681, 2016
- 42) Hanaoka N, Matsutani M, Satoh M, Ogawa M, Shirai M, Ando S: Development of a novel loop-mediated isothermal amplification (LAMP) assay for *Rickettsia* spp. *Jpn J Infect Dis* 70(1):119-123, 2017
- 43) Takajo I, Sekizuka T, Fujita H, Kawano A, Kawaguchi T, Matsuda M, Kubo K, Miyauchi S, Umekita K, Nagatomo Y, Kuroda M, Takasaki T, Okayama A, Ando. Possible case of novel spotted fever group rickettsiosis in a Japanese traveler returning from India. *Emerg Infect Dis* 22(6):1079-1082, 2016
- 44) Omura N, Fujii H, Yoshikawa T, Yamada S, Harada S, Inagaki T, Shibamura M, Takeyama H, Saijo M. Association between sensitivity of viral thymidine kinase-associated acyclovir resistant herpes simplex virus type 1 and virulence. *Virology* 14:59, 2017
- 45) Kaneko M, Maruta M, Shikata H, Asou K, Shinomiya H, Suzuki T, Hasegawa H, Shimojima M, Saijo M. Unusual presentation of a severely ill patient having severe fever with thrombocytopenia syndrome: a case report. *J Med Case Rep* 11(1):27, 2017
- 46) Kato H, Yamagishi T, Shimada T, Matsui T, Shimojima M, Saijo M, Oishi K. Epidemiological and clinical features of severe fever with thrombocytopenia syndrome in Japan, 2013-2014. *PLoS One* 11(10):e0165207, 2016
- 47) Yoo JR, Heo ST, Park D, Kim H, Fukuma A, Fukushi S, Shimojima M, Lee KH. Family Cluster Analysis of Severe Fever with Thrombocytopenia Syndrome Virus Infection in Korea. *Am J Trop Med Hyg* 95(6):1351-1357, 2016
- 48) Kurihara S, Satoh A, Yu F, Hayasaka D, Shimojima M, Tashiro M, Saijo T, Takazono T, Imamura Y, Miyazaki T, Tsukamoto M, Yanagihara K, Mukae H, Saijo M, Morita K, Kohno S, Izumikawa K. The world first two cases of severe fever with thrombocytopenia syndrome: an epidemiological study in Nagasaki, Japan. *J Infect Chemother* 22(7):461-465, 2016
- 49) Suda Y, Fukushi S, Tani H, Murakami S, Saijo M, Horimoto T, Shimojima M. Analysis of the

- entry mechanism of Crimean-Congo hemorrhagic fever virus, using a vesicular stomatitis virus pseudotyping system. *Arch Virol* 161(6):1447-1454, 2016
- 50) Iizuka I, Ami Y, Suzaki Y, Nagata N, Fukushi S, Ogata M, Morikawa S, Hasegawa H, Mizuguchi M, Kurane I, Saijo M. A single vaccination of nonhuman primates with highly attenuated smallpox vaccine, LC16m8, provides long-term protection against monkeypox. *Jpn J Infect Dis* 70:408-415, 2017
- 51) Yamaoka Y, Matsuyama S, Fukushi S, Matsunaga S, Matsushima Y, Kuroyama H, Kimura H, Takeda M, Chimuro T, Ryo A. Development of monoclonal antibody and diagnostic test for Middle East respiratory syndrome coronavirus using cell-free synthesized nucleocapsid antigen. *Front Microbiol* 7:509, 2016
- 52) Fukuhara T, Tamura T, Ono C, Shiokawa M, Mori H, Uemura K, Yamamoto S, Kurihara T, Okamoto T, Suzuki R, Yoshii K, Kurosu T, Igarashi M, Aoki H, Sakoda Y, Matsuura Y. Host-derived apolipoproteins play comparable roles with viral secretory proteins Erns and NS1 in the infectious particle formation of Flaviviridae. *PLoS Pathog* 13(6):e1006475, 2017
- 53) Takagi Y, Matsui K, Nobori H, Maeda H, Sato A, Kurosu T, Orba Y, Sawa H, Hattori K, Higashino K, Numata Y, Yoshida Y. Discovery of novel cyclic peptide inhibitors of dengue virus NS2B-NS3 protease with antiviral activity. *Bioorg Med Chem Lett* 27(15):3586-3590, 2017
- 54) Dhole P, Nakayama EE, Saito A, Limkittikul K, Phanthanawiboon S, Shioda T, Kurosu T. Sequence diversity of dengue virus type 2 in brain and thymus of infected interferon receptor KO mice: implications for dengue virulence. *Virol J* 13(1):199, 2016
- 55) Yunoki M, Kurosu T, Kubota-Koketsu R, Takahashi K, Okuno Y, Ikuta K. Neutralizing activities of human immunoglobulin derived from donors in Japan against mosquito-borne flaviviruses, Japanese encephalitis virus, West Nile virus, and dengue virus. *Biol Targets Ther* 10:99-102, 2016
- 56) Kubota M, Takeuchi K, Watanabe S, Ohno S, Matsuoka R, Kohda D, Nakakita SI, Hiramatsu H, Suzuki Y, Nakayama T, Terada T, Shimizu K, Shimizu N, Shiroishi M, Yanagi Y, Hashiguchi T. Trisaccharide containing α 2,3-linked sialic acid is a receptor for mumps virus. *Proc Natl Acad Sci USA* 113(41):11579-11584, 2016